



SCAN & DOWNLOAD LATEST CATALOGUE



# Huddleston

Professional Tools That Work

Version - April 2026



# PRODUCT CATALOGUE



[huddleston.com.au](http://huddleston.com.au)

## CONTENTS

Vacuum Pumps	3	Vacuum Pump Oils	13
Digital Vacuum Gauges	3	Voltage & Continuity Testers	14
Recovery Units	3	Sound Meters	14
Refrigerant Scales	3	Anemometers	14
Manifolds	4	Humidity & Temperature Meters	14
Digital Manifold Gauges	4	Lux Meters	14
Refrigeration Charging Hoses	4	Co2 Meters	14
Evacuation Hoses & Kits	4	Three Phase Power Quality Analyzer	14
Handheld Leak Detectors	5	Earth Ground Testers	14
Nitrogen Regulators	5	CO Meters	14
Nitrogen Purge Tool	5	Leeb Hardness Tester	14
Brazing Tools	6	Digital Multimeters	15
Condensate Pumps	6	Digital Manometers	15
Condensate Drain Guns	6	Digital Thermometers	15
Coil Cleaning Systems	6	Digital Micro Ohm Meter	15
AC Cleaning Bags & Kits	6	Tachometers	15
A/C Cleaning Products	7	Clamp Meters	16
Anti Corrosion Treatments	7	Leakage Clamp Meters	16
Leak Detection Bubbles	7	Insulation Testers	16
Flushing Agents	7	Voltage Transformer	16
Flushing Guns	7	Vibration Tester	16
Leak Sealants & AC System Additives	7	LCR Meters	17
Super Seal	8	Solar Meters	17
Tube Cutters	8	Laser Levels	17
Flaring	9	Laser Distance Meters	17
Tube Expanders	9	Wall Scanners	17
Spin Flaring & Swaging Tools	9	Thickness Gauges	17
Service Wrenches	9	Wall Trackers	17
Deburrer & Reamer Tools	9	High Voltage Clamp Ammeters	17
Tube Benders	10	Rotation Indicators	17
CrossBow Benders	10	Pipeline Blockage Detectors	17
Lever Benders	10	Fork Meters	17
Spring Benders	10	Infrared Thermometers	18
Pair Coil Benders	11	Battery Testers	18
Torque Wrenches	11	Contact Type Thermometers	18
Inspection Mirrors	11	Process Calibrators	18
Fin Straightening Tools	11	Temperature Data Loggers	18
Valve Core Removal Tools	12	Thermal Imagers	19
Adapters	12	Acoustic Imagers	19
Couplers	12	Phase Detectors	19
Core Depressors	12	Borescopes	19
No Flare Fitting	12	Radiation Testers	19
Refrigeration Lubricants	13		

## Vacuum Pumps



### Bradley Vacuum pumps with Electronic Solenoid Valve

- Use A1 (R134A/ R410A) and A2L (R32 and R1234yf) refrigerants
- 15 micron ultimate vacuum
- 1/4" and 3/8" inlet valves
- Electronic solenoid valve
- 5 metre hardwired power cable

	BRA-VP50S	BRA-VP150S	BRA-VP250S	BRA-VP350S
Free Air Displacement	50 L/min (1.5 CFM)	150 L/min (5 CFM)	250 L/min (9 CFM)	350 L/min (12 CFM)
Ultimate Vacuum	15 Microns (2pa)	15 Microns (2pa)	15 Microns (2pa)	15 Microns (2pa)
Oil Capacity	350ml	400ml	600ml	600ml
Dimensions	290 x 125 x 235mm	325 x 135 x 250mm	360 x 155 x 270mm	360 x 155 x 270mm
Net Weight	6kg	9.5kg	15kg	16.5 kg

## Digital Vacuum Gauges



### Uni-T UT336V Wireless Vacuum Gauge

SKU: UT336V

- Accurate vacuum & ambient temperature measurement
- Bluetooth app connection with 8,000 data storage
- IP54-rated design with convenient hook



### Accutools BluVac+ Micro Wireless & µBluVac Digital Micron Gauges

- Oil Sensor Indicator, Self-Calibration Test, Easy Calibration
- 0 to 25,000-micron range with 1-micron resolution
- Measures vacuum in microns, pascals, millibar, mmHg, and torr
- **AT-A10730** Bluvac+ Micro Wireless
- **AT-A10673** µBluVac Micron Not Wireless



### Accutools BluVac+ Pro Wireless Digital Vacuum Gauge

SKU: AT-A10702

- Oil Sensor Indicator, Self-Calibration Test, Easy Calibration
- 0 to 25,000-micron range with 1-micron resolution
- Measures vacuum in microns, pascals, millibar, mmHg, and torr
- Evacuation Timer & Rise Time Analyzer

## Recovery Units



### Promax MINIMAX-A High Pressure Recovery Unit

SKU: PM-MINIMAX-A

- Recovers all commonly used CFC, HFC, HCFC refrigerants including A2L, R32 or R1234yF
- Minimum size - maximum performance; ideal for residential and appliance service
- Proprietary "oil-less" compressor capable of handling both liquid and vapour refrigerants
- 550 psi safety cut-off switch



### Promax RG5410A-A Refrigerant Recovery Unit

SKU: PM-RG5410A-A

- Recovers all commonly used CFC, HFC, and HCFC refrigerants including A2L like R32 or R1234yF
- High-Pressure safety "cut off" switch 38,5 bar (550 psi)
- 3/8" - 3-row Condensator for maximum performance in even the hardest conditions
- New Generation Compressor, new valves and piston

## Refrigerant Scales



### TIF 9030 Refrigerant Scale

SKU: TIF-9030

- Compact Design
- Range of up to 100kg
- Display weight in kg, oz, lbs
- Extremely durable
- Resolution 10g

## Manifolds



**Robinair RA-41132E90C 2-Way Analog Manifold R32/410A With 90cm Hoses**  
**SKU: RA-41132E90C-HU**

Piston-type seat ensures positive shut-off with minimal force. Double o-ring seal ensures leak free operation.



**Tasco 4-Valve Manifolds with 3/8" Vacuum Port (Case and 92cm Hose included)**

- **TA122FM-EXP** R410 / R32 (5/16")
- **TA127HC-EXP** R290 / R600 (1/4")



**Tasco 2-Valve Manifolds (Case and 90cm Hose included)**

- **TA122G-1-EXP** R410 / R32 (5/16")
- **TA127-2-EXP** R290 / R600 (1/4")
- **TA124W-1-EXP** R134a / R404a (1/4")

## Digital Manifold Gauges



**Uni-T UT336E Digital Manifold Gauge**

The UT336E Digital Manifold Gauge is a powerful HVAC/R diagnostic tool designed for accurate pressure and temperature measurement with smart, wireless functionality.

- **UT336E** Digital Manifold Gauge
- **UT336E KIT** Digital Manifold Gauge with Wireless Temperature Clamps

## Refrigeration Charging Hoses



**Bradley Refrigeration Charging Hose Set**

The Bradley Refrigeration Charging Hose Set is a professional-grade kit featuring three color-coded, high-pressure hoses designed for the safe and efficient transfer of refrigerants during HVAC system charging, recovery, and diagnostics.

- **BRA-HS1414-1M** Refrigeration Charging Hose 3pc Set (1m) - Red, Yellow, Blue - 1/4" x 1/4" SAE
- **BRA-HS1414-2M** Refrigeration Charging Hose 3pc Set (2m) - Red, Yellow, Blue - 1/4" x 1/4" SAE
- **BRA-HS1455-1M** Refrigeration Charging Hose 3pc Set (1m) - Red, Blue - 1/4" x 5/16" SAE, Yellow - 1/4" x 1/4" SAE
- **BRA-HS1455-2M** Refrigeration Charging Hose 3pc Set (2m) - Red, Blue - 1/4" x 5/16" SAE, Yellow - 1/4" x 1/4" SAE

## Evacuation Hoses & Kits



**Bradley Evacuation Hoses**

The Bradley O vacuum hose delivers high flow capacity for faster evacuation times. With 3/8" and 1/4" brass fittings to ensure secure and leak-free connections to manifold gauges, vacuum pumps, and recovery units.

- **BRA-HS1438-1M** 3/8" Evacuation Hose 90cm
- **BRA-HS1438-2M** 3/8" Vacuum Hose 150cm



**AccuTools TruBlu Evacuation Kits**

Evacuate 80x faster than 1/4" I.D. hoses and up to 6x faster than other vacuum rated hoses on the market today.

- **AT-A10757-4MS** Starter Evacuation Kit with 1m hose
- **AT-A10757-4MSXL** Starter XL Evacuation Kit with 1.5m hose
- **AT-A10757-3** Professional Evacuation Kit with 2 x 1m hoses
- **AT-A10757-2** Advanced Evacuation Kit with 3 x 1m hoses

## Handheld Leak Detectors



### Inficon TEK-Mate Refrigerant Leak Detector

SKU: INF-705-202-G1

- Sensitivity of 2 g/year R134 and 5 grams/yr with R410a
- Detects CFCs, HCFCs, HFCs, and HFOs
- No false alarms from soap solutions (no exaggerated chlorine response)
- Runs on 2 "D" cell batteries
- Heated diode sensor technology



### Inficon Gas-Mate Combustible Gas Leak Detector

SKU: INF-718-202-G41

- Sensitive to 5 ppm methane
- Designed for flammable refrigerants like R290, R600a, and R441a
- Certified intrinsically safe
- Detects natural gas, forming gas, propane, butane, cyclopentane, ethane, ethanol, isobutane and ammonia. Detects forming gas (95% nitrogen, 5% hydrogen)



### Inficon Whisper Ultrasonic Leak Detector

Whisper is ideal for detecting and locating ultrasonic frequencies

- Detects pressure and vacuum leaks for all gases
- Works perfectly in noisy environments
- **INF-711-701-G41** Whisper Ultrasonic Leak Detector
- **INF-711-703-G11** Whisper Ultrasonic Leak Detector With Accessory Kit



### Inficon D-TEK 3 Refrigerant Leak Detector

SKU: INF-721-202-G1

- Detects all CFCs, HCFCs, HFCs, HFOs, Low, Medium, High, and Super sensitivity settings
- Optional CO2 and Combustible Sensors, easily interchangeable.

#### Replacement Sensors

- **INF-724-701-G1** Replacement Sensor D-Tek Stratus
- **INF-724-701-G2** Replacement Sensor D-Tek Stratus CO2
- **INF-724-701-G3** Replacement Flammable Refrigerant Sensor



### Inficon D-TEK Stratus Refrigerant Leak Detector

SKU: INF-724-202-G1

- Sensitivity of 1 g/year
- Detects all CFCs, HCFCs, HFCs, and HFOs.
- Cloud hunter and pinpoint modes are like having two leak detectors in one
- Optional CO2 and Combustible Sensors, easily interchangeable.



### Inficon D-TEK Pro Refrigerant Leak Detector

SKU: INF-508-202-G1

- Sensitivity of 0.1 ppm resolution
- Detects all CFCs, HCFCs, HFCs, HFOs, and A2L refrigerants
- Pro Mode combines Cloud Hunting and pinpoint detection
- Mobile app generates reports with ppm tracking and GPS

## Nitrogen Regulators



### Bradley NR1000 High Pressure Nitrogen Regulator

SKU: BRA-NR1000

- Single stage construction
- Inlet Fitting: Type 50 Connector
- Outlet Fitting: Male 1/4" SAE
- Working Pressure: 0-800 psi

## Nitrogen Purge Tool



### Bradley NPT50 Nitrogen Purge Tool

SKU: BRA-NPT50

- Regulate flow with 50 psi inlet pressure
- Two convenient flow rates, braze or purge
- Standard 1/4" hose fittings
- Trade tested for HVAC Professionals.
- Use with the BRA-NR1000 nitrogen regulator

## Brazing Tools



### Bradley HT8000 Hand Torch

SKU: BRA-HT8000

- Mapp or Propane Gas
- 30% Faster Brazing Times
- For copper, brass, bronze and aluminum



### Errecom TR1173.01 Stop Heat

SKU: ER-TR1173.01

- Re-usable up to 40 times
- Easy to use
- Safe and non-toxic



### Tasco TA379MP-5H Ring Torch with 1.5m Hose

SKU: TA379MP-5H

- TA379MP Complete Kit (5H + 5R)
- TA379MP Complete Kit (5H + 5RD)

## Condensate Pumps



### Diversitech Redbox Mini Compact Condensate Pump

SKU: DT-REDBOX-COMPACT

- 21 dB(A) quiet operation
- Max flow rate: 20 LPH
- Discharge head: 15 m



### Diversitech Redbox Tube Mini Condensate Pump

SKU: DT-REDBOX-TUBE

- 21 dB(A) operation
- Flow rate: 20 LPH
- Discharge head: 15 m



### Diversitech Redbox Slim Mini Condensate Pump

SKU: DT-REDBOX-SLIM

- Max discharge head: 20 m
- Flow rate: 29 LPH
- Low power consumption: 2.5W



### Diversitech Redbox Trunk Mini Condensate Pump

SKU: DT-REDBOX-TRUNK

- 21 dB(A) quiet operation
- Flow rate: 20 LPH
- Discharge head: 15 m



### DiversiTech Redbox 1 Litre Condensate Pump

SKU: DT-REDBOX-1L-S

- Flow Rate: 280 LPH
- Reservoir Capacity: 1 Litres
- Discharge head: 5.1 metres



### Diversitech Redbox Universal Mini Condensate Pump

SKU: DT-REDBOX-UNIVERSAL

- 21 dB(A) quiet operation
- Flow rate: 20 LPH
- Discharge head: 15 m



### DiversiTech Redbox 2 Litre Condensate Pump

SKU: DT-REDBOX-2L-S

- Flow rate: 280 LPH
- Reservoir Capacity: 2 Litres
- Discharge head: 6.7 metres

## Condensate Drain Guns



### DiversiTech GG1 Drain Gun

- Clears condensate lines instantly
- Instant 800 PSI SWOOSH
- 15 Gram Co2 Cartridge

- **DT-GG1** Drain Gun
- **DT-GG1-12** CO2 Cartridges PK-12

## AC Cleaning Bags & Kits



### SpeedClean SC-CB Cassette Bib with Bungees and Bucket

- Designed to help you clean ceiling cassette units quickly and without making a mess in sensitive residential and commercial areas.

- **SC-MSB-KIT** SpeedClean MSB-KIT Mini-Split Bib Kit
- **SC-MSB-01** SpeedClean MSB-01 Mini-Split Bib Kit Replacement Bib

## Coil Cleaning Systems



### SpeedClean CoilJet CJ-200E HVAC Coil Cleaner System

SKU: SC-CJ-200E-AU

- Powerful 220 psi
- Continuous Water Connection
- 6 Meter self-coiling hose
- Spray gun with quick disconnect
- Power Rating 240V 50Hz Australian Power Cord (4.5m)



### SpeedClean CJ-125 CoilJet HVAC Coil Cleaner Battery Powered

SKU: SC-CJ-125-AU

- Powerful 125 psi
- 2.25 L per minute
- 3 metre self-coiling hose
- 10 foot hose(3m)

## A/C Cleaning Products



### Errecom Cleaning Tabs

Emerald Tabs is an ultimate solution by Errecom, which has been specifically developed in order to avoid the formation of contaminants due to water stagnancy inside the A/C system.

- **ER-AB1089.01** EVO Tabs Evaporator Purifying Cleaning Tablets
- **ER-AB1099.01** Emerald Tabs
- **ER-AB1090.01** Kino Tabs Alkaline Cleaner for Condensers
- **ER-AB1102.01** Acid Tabs for Condensers



### ER-AB1049.J.01 Foam Cleaner For A/C System

Evaporator Cleaner Foam is a foamy cleaner for evaporators that cleans, refreshes and purifies the A/C system.



### ER-AB1063.YW.01 Power Clean Out

High Pressure Cleaner for Condensers in Aerosol Can. No need to rinse. 750ml.



### ER-AB1073.K.01 Luxedo

Luxedo is a regenerative scented treatment for indoor evaporators which removes organic residues and dirt. 200ml

## Anti Corrosion Treatments



### ER-AB1100.K.01 No-Age Anti Corrosive Treatment

Spray on corrosion protection treatment. 1L.



### ER-AB1104.M.01 No Age Gelly

Universal Corrosion Protection Treatment Gel. 50ml.

## Leak Detection Bubbles



### Errecom Best Bubbles

Best Bubbles is a fast and easy solution to identify leaks in refrigerant lines and components of AC/R systems.

- **ER-TR1143.K.01** Best Bubbles 1 Litre
- **ER-TR1161.K.01** Best Bubbles Fluorescent 1 Litre

## Flushing Agents



### Belnet Flushing Agent Aerosol

BELNET AEROSOL is the fast solution to flush small refrigeration lines. 600ml.

- **ER-TR1009.U.M1** with 1/4 SAE Thread
- **ER-TR1009.U.MO** with Rubber Cone



### Belnet Flushing Liquids

Belnet flushing liquid for all AC/R systems

- **ER-TR1009.01** 1L
- **ER-TR1055.01** 5L

## Flushing Guns



### Errecom AC/R Flushing Gun with 60cm Hose and Nozzle

(Excludes Cannister)

SKU: ER-RP1027.01

- Easy to use
- 60cm hose
- 1.4" female ball valve
- 10 bar Safety Valve

## Leak Sealants & AC System Additives



### Errecom Ultra 6ml Range

The ultimate refrigerant gas leak stop that repairs leaks up to 0.3mm in air conditioning and refrigeration systems. Visible under UV lamp. 1 cartridge treats up to 21 kWh.

- **ER-TR1163.AL.H3.S2** Extreme Ultra Leak Stop with UV Dye
- **ER-TR1163.AL.J7** Quick Coupler R134A for Automotive
- **ER-TR1176.AL.H4** White Ultra 6ml for R290/R600

## Super Seal



### DiversiTech® 946KIT Super Seal Automotive

**SKU: DT-946KIT**

DiversiTech® 946KIT Super Seal Premium Pro A/C Stop Leak permanently seals leaks in condenser, evaporator, accumulator, compressor, gaskets, o-rings, metal & rubber hoses.



### DiversiTech 944KIT LeakArmor™ Universal

**SKU: DT-944KIT**

The DiversiTech 944KIT Super Seal Advanced Leak Armor is a powerful 2-in-1 leak repair and moisture control solution for refrigeration and HVAC-R systems. Designed for medium size systems (approx. 1.5 to 5 tons / 5-17 kW), this innovative kit delivers fast, effective sealing of minor leaks without requiring system evacuation or pump-down.



### DiversiTech® DT-981 Super Change Fast & Easy R22 System Retrofit

**SKU: DT-981**

The DT-981 Super Change provides a fast and easy way to convert a system from non-POE based oils and refrigerants such as R22 to newer HFC refrigerants including POE-based R407C and R410A without the need to flush the system (excluding compressor burnouts).

## Tube Cutters



### Imperial Small Tube Cutters

The Imperial Compact Tube Cutters are perfect for cutting metal tubing and loved by technicians around the world for durability and quality.

- **IMP-TC1050SP** 1/8" to 5/8" O.D
- **IMP-TC2050SP** 3/16" to 7/8" O.D



### Imperial 174FSP Mini "imp" Tube Cutter

**SKU: IMP-174FSP**

Mini "imp" tube cutter. Requires only 1 15/16inch swing radius. 3/8 to 1-1/8 inch O.D. Tubing Cutter.



### Imperial Tube Cutters

The Imperial tube cutters are the standard to which all-tube cutters are measured. Ideal for use in all applications for cutting metal tubing.

- **IMP-TC1000SP** General Cutting Wheels 1/8 to 1-1/8 inch
- **IMP-TC1010P** Stainless Steel Cutting Wheels 1/8 to 1-1/8 inch
- **IMP-312FCSP** Speciality tube cutter for 1/4 to 1-5/8inch

## Flaring



### Imperial 275 45 Degree Flaring Tool Kits SKU: IMP-275FS

45 Degree Flaring and Swaging Tool converts quickly and easily. 1/8" - 3/4" OD Tube.



### Tasco Flaring Tool

Tasco offers a range of flaring tools designed for HVAC (heating, ventilation, and air conditioning) and refrigeration systems. These tools are vital for creating high-quality, leak-resistant flares on copper, aluminum, and other soft tubing materials commonly used in refrigerant lines.

MODEL	TYPE / DESIGN	TUBE SIZES (O.D.)	SPECIAL FEATURES / ACCESSORIES INCLUDED
TA550NB-E	Standard Flaring Tool	1/4", 3/8", 1/2", 5/8"	Durable standard type
TA550HB	Quick Handle Flaring Tool	1/4", 3/8", 1/2", 5/8"	Quick-handle design for faster operation
TA550Y	Short Size Flaring Tool	1/4", 3/8", 1/2"	Compact "short size" body for tight spaces
TA550CX	Impact Driver Flaring Tool (with side lock)	1/4", 3/8", 1/2", 5/8"	Includes drive socket (TA550CX-AD) + flare measure guide
TA550DB	Drill-Applicable Flaring Tool	1/4", 3/8", 1/2", 5/8"	For use with electric drill or ratchet handle; includes drive socket

## Tube Expanders



### Hilmor 1839015 Compact Swage Kits SKU: HIL-1839015

Can swage 1-5/8" tubing to 5/16" without a crack. Includes a deburring tool, designed to remove sharp edges and burrs. The Deluxe Compact Swage Tool has the power to swage 2-1/8" tubing and the control to swage 1/4" tubing without a crack. Includes sizes up to 1 5/8".

- **HIL-1839015** Compact swage tool kit
- **HIL-1964041** Deluxe compact swage kit

## Spin Flaring & Swaging Tools



### SpinTools Flaring & Swaging Tools

The SPIN Flaring and Swaging range is designed for the most common tubing diameters in HVAC, and it's recommended for both soft and hard copper. Compatible with 1/4" - 3/8" - 1/2" - 5/8" - 3/4" - 7/8" tube sizes

- Flawless flares/swages in five seconds
- Universal drill compatibility
- Reusable tool with long-life design
- Heat by friction
- **ST-F4000** 1/4", 3/8", 1/2" and 5/8"
- **ST-F5000** 1/4", 3/4", 1/2", 5/8" and 3/8"
- **ST-F6000** 1/4", 3/4", 1/2", 5/8", 3/8" and 7/8"
- **ST-S4000** 1/4", 3/8", 1/2" and 5/8"
- **ST-S5000** 1/4", 3/4", 1/2", 5/8" and 3/8"
- **ST-S6000** 1/4", 3/4", 1/2", 5/8", 3/8" and 7/8"

## Service Wrenches



### Imperial Ratchet Wrench

The Imperial 127C Ratchet Wrench has 1/4", 3/8", 3/16" and 5/16" square drive ratchets and is specially designed for use on compressors with access valves in hard to reach places. The IMP-127CO Offset Ratchet Wrench is the same as 127-C except with a unique 25° offset.


- **IMP-127C**
- **IMP-127CO**

## Deburrer & Reamer Tools



### Bradley Deburring Pen with Pocket Clip SKU: BRA-DBP100

Pocket Size Deburring Tool lets you put your silky-smooth signature on even the smallest pieces of tubing.



### BRADLEY BRA-IO635 Inner-Outer Reamer SKU: BRA-IO635

Pocket Size Deburring Tool lets you put your silky-smooth signature on even the smallest pieces of tubing.

## Tube Benders



### Imperial 368FH Triple Head Tube Bender

SKU: IMP-368FH

Triple Head Tube Bender 3/16", 1/4", 5/16", 3/8"



### Imperial 370FHC Triple Head 180 Degree

SKU: IMP-370FHC

Tripleheader bender has calibrated marking, 3/16", 1/4", 3/8", 1/2".



### Imperial 470FH Triple Head 180 Degree

SKU: IMP-470FH

Triple Head 180° Tube Bender With Roto-Lok™ Indexing Handle. Bends 3/16", 1/4", 5/16" and 3/8" O.D. tubing.



### Tasco TA515M-S1 Gear Type Tube Bender

SKU: TA515M-S1

The Tasco TA515M-S1 is a manual, gear-driven straight tube bender for professional HVAC/R, delivering precise copper bends without electricity.



### Tasco TA540B Series Lever Type Tube Benders

- **TA540B-3** 3/8" Tube Bender
- **TA540B-4** 1/2" Tube Bender
- **TA540B-5** 5/8" Tube Bender
- **TA540B-6** 3/4" Tube Bender
- **TA540B-7** 7/8" Tube Bender



### Tasco TA540P Series Lever Type Tube Benders

- **TA540P-4** 1/2" Tube Bender
- **TA540P-5** 5/8" Tube Bender
- **TA540P-6** 3/4" Tube Bender
- **TA540P-7** 7/8" Tube Bender

## CrossBow Benders



### Hilmor Crossbow Bender Kit

Compact bender kit with reverse bending attachment bends 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" & 7/8" mandrels

- **HIL-1839032** Compact Bender Kit
- **HIL-1926598** Compact Bender Kit With Reverse Mandrels

## Lever Benders



### Imperial 364FHA Lever Bender Range

Each tool bends one size. Open-side type which slips over tube at any point. Makes smooth, tight radius bends up to 180° with minimum effort.

- |                                |                               |
|--------------------------------|-------------------------------|
| • <b>IMP-364FHA03</b> 3/16" OD | • <b>IMP-364FHA08</b> 1/2" OD |
| • <b>IMP-364FHA04</b> 1/4" OD  | • <b>IMP-364FHA10</b> 5/8" OD |
| • <b>IMP-364FHA05</b> 5/16" OD | • <b>IMP-364FHA12</b> 3/4" OD |
| • <b>IMP-364FHA06</b> 3/8" OD  |                               |



### Imperial 364FHB Swivel Bender Range

The 364-FHB series has a swivel handle that can be repositioned midway through a bend when both handles begin to meet. This simple feature allows easy fabrication of bends up to 180°.

- **IMP-364FHB04** 1/4" Swivel Handle Lever Bender
- **IMP-364FHB05** 5/16" Swivel Handle Lever Bender
- **IMP-364FHB06** 3/8" Swivel Handle Lever Bender
- **IMP-364FHB07** 7/16" Swivel Handle Tube Bender
- **IMP-364FHB08** 1/2" Swivel Handle Tube Bender

## Spring Benders



### Bradley STB6-KIT Spring Tube Bender Set

SKU: BRA-STB6-KIT

6 spring benders 1/4", 5/16", 3/8", 7/16", 1/2", and 5/8"

## Pair Coil Benders



### Bradley Pair Coil Bender

Pair Coil Bender is designed to offer the installer fast, easy, and quality 'kink-free' bends in AC Refrigerant Lines. Available in 6 sizes

- **BRA-PCB04R-3** 1/4" 3M Red
- **BRA-PCB06G-3** 3/8" 3M Green
- **BRA-PCB08Y-3** 1/2" 3M Yellow
- **BRA-PCB10B-3** 5/8" 3M Blue
- **BRA-PCB12P-3** 3/4" 3M Purple
- **BRA-PCB14B-3** 7/8" 3M Black
- **BRA-PCB4-KIT** Set of 3/8", 1/2", 5/8" & 3/4"
- **BRA-PCB6-KIT** Set of 1/4" 3/8", 1/2", 5/8", 3/4" & 7/8"

## Torque Wrenches



### BRADLEY TW8 Metric Torque Wrench Set

**SKU: BRA-TW8**

Torque Wrench Set for R-410A Air Conditioning and Refrigeration. Jaw sizes: 17, 19, 22, 24, 26, 27, and 29mm.



### BRADLEY TW4 Torque Wrench Pre-Set

**SKU: BRA-TW4**

The TW4 is a Pre-Set Torque Wrench Set designed specifically for AC/R systems. Jaw sizes 17mm (1/4"), 22mm (3/8"), 26mm (1/2"), and 29mm (3/4")



### Hilmor 1963826 Digital Adjustable Torque Wrench

**SKU: HIL-1963826**

Digital Adjustable Torque Wrench reduces the risk of refrigerant leaks from over or under-tightening a flare nut on a mini-split. Jaws extend up to 27mm. Up to 135Nm



### Bradley BRA-TWDA Digital Torque Wrench

**SKU: BRA-TWDA**

The Bradley BRA-TWDA is a high-precision digital torque wrench featuring four quick-access preset buttons for rapid, accurate fastening across multiple common torque settings.



### Tasco Torque Wrenches & Sets

Tasco Torque Wrench Sets are high-quality tools designed to provide accurate and reliable torque control when tightening nuts and bolts.

- **TA771BH** Torque Wrench Set. Includes 1/4" & 3/8" Torque Wrenches and Case. Compatible with new and old refrigerants.
- **TA771LR-3** Torque Wrench Set. Includes 1/2" & 5/8" Torque Wrenches and case. For R410A/R32 systems.
- **TA771ST-23S** Torque Wrench Set. Standard model. includes 1/4" & 3/8" torque wrenches and case.

## Inspection Mirrors



### Hilmor Telescoping Mirror

Evacuate 80x faster than 1/4" I.D. hoses and up to 6x faster than other vacuum rated

- **HIL-M1** 1 - 1/4" Circular Telescoping Mirror
- **HIL-M2** 2 - 1/4" Circular Telescoping Mirror
- **HIL-M3** 2 - 1/8" X 3 - 1/2" Rectangular Telescoping Mirror
- **HIL-M4** 1" x 2" Oval Telescoping Mirror

## Fin Straightening Tools



### Hilmor T-300 Metal Fin Tool Straightening Tool

**SKU: HIL-T-300**

Fin Tool Kit includes sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20 FPI.



### Hilmor Fin Comb Tools

Fin Tool Sets no matter your requirements.

- **HIL-T-400** 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20 FPI



### Hilmor 1891255 Fin Straightening Tool

**SKU: HIL-1891255**

With two wheels that offer 12 sizes, the Hilmor Fin Straightening Tool makes it easy to remove

## Valve Core Removal Tools



### Bradley Core Removal Tools

Designed to remove and install valve core without losing system charge. Improves evacuation and charging times by creating unrestricted access. 1/4" port is designed for connecting electronic vacuum gauge for accurate measurement during evacuation.

- **BRA-CRT14** 1/4" flare core removal tool
- **BRA-CRT56** 5/16" flare core removal tool

## Adapters



### Bradley Adapters

Designed for HVAC/R Professionals, our convenient vacuum and pressure rated adapters are there when you needed them.

- **BRA-AD5614** 1/4 male flare x 5/16" female flare swivel
- **BRA-AD1438** 3/8" male flare x 1/4" female flare swivel
- **BRA-AD1456** 1/4" female flare x 5/16" male flare

## Couplers



### Bradley BRA-CP1414 Coupler for Vacuum Gauges

**SKU: BRA-CP1414**

Designed for HVAC/R Professionals, this brass coupler is designed to connect tools or equipment where accurate vacuum or pressure readings are essential. Vacuum and pressure rated. Works with all 1/4" male fittings on CRTs and Vacuum Gauges, and many more tools.



### Imperial Kwik Couplers

Kwik-couplers simplify the operation of charging refrigerant systems.

- **IMP-16C** 1/4 Straight Kwik Coupler
- **IMP-17C** Kwik Coupler Elbow 1/4"
- **IMP-18C** Kwik Coupler Set
- **IMP-26C** Kwik Coupler Straight 5/16"
- **IMP-27C** 90° Elbow Kwik Coupler 5/16"

## Core Depressors



### Bradley Core Depressors

Designed for convenience and safety, Schrader core depressors allow technicians to fully open a valve to access system pressure without removing the valve core.

- **BRA-CD5656** 5/16" SAE x 5/16" SAE
- **BRA-CD1414** 1/4" SAE x 1/4" SAE
- **BRA-CD1456** 1/4" SAE x 5/16" SAE
- **BRA-CD5614** 5/16" SAE x 1/4" SAE



### Bradley Mini Core Depressors

When accessing service valves in tight locations, the Mini Core Depressor will allow you to connect a hose at a 90° angle. When evaluating a system, a fully open Schrader core will improve evacuation speeds.

- **BRA-MCD14** 1/4" Male Flare x 1/4" Female Flare
- **BRA-MCD56** 1/4" Male Flare x 5/16" Female Flare

## No Flare Fitting



### Inoac Conic Joint

INOAC also offers the 'Conic Joint', a mechanical coupling specially developed to connect copper and aluminium pipes to the appliance without flare.

- **INO-CJ-06G** Conic Joint 1/4" PK2
- **INO-CJ-09G** Conic Joint 3/8" PK2
- **INO-CJ-12G** Conic Joint 1/2" PK2
- **INO-CJ-15G** Conic Joint 5/8" PK2
- **INO-CJTT-0612** Tightening Tool 1/4" & 1/2"
- **INO-CJTT-0915** Tightening Tool 3/8" & 5/8"

## Refrigeration Lubricants



### Errecom OL6057 Premium PAG Lubricant Oil

PAG lubricants have been developed for Automotive applications.

- **ER-OL6057.M.P2** 500 ml
- **ER-OL6057.K.P2** 1 Litre
- **ER-OL6057.P.P2** 5 Litre



### Errecom OL6069 HC-PAG 68 Lubricant Oil

Blends of polyalkylene glycols chose among the best-performing and most innovative organic molecules on the market.

- **ER-OL6069.P.P2** 5 Litres



### Errecom OL6003 Premium PAG 100 Lubricant Oil

Developed for automotive applications, specially with the use of R134a refrigerant gas.

- **ER-OL6003.M.P2** 500ml



### Errecom OL6011 POE 22 Lubricant Oil

POE oils are also compatible with hydrocarbons such as R290 propane and R1270 propylene.

- **ER-OL6011.K.P2** 1 Litre
- **ER-OL6011.P.P2** 5 Litre
- **ER-OL6011.T** 25 Litre



### Errecom OL6012 Polyol Ester 32 Lubricant Oil

They are the best choice for applications with HFC/FC such as R134a, R404A, R407C.

- **ER-OL6012.K.P2** 1 Litre
- **ER-OL6012.P.P2** 5 Litre



### Errecom OL6015 POE 46 Lubricant Oil

The high viscosity index ensures excellent low-temperature flowability and a stable film at high temperatures.

- **ER-OL6015.P.P2** 5 Litres



### Errecom OL6016 Polyol Ester 68 Lubricant Oil

POE are synthetic lubricants with high chemical and thermal stability.

- **ER-OL6016.K.P2** 1 Litre
- **ER-OL6016.P.P2** 5 Litre
- **ER-OL6016.T** 25 Litre



### Errecom OL6021 POE 220 Lubricant Oil

POE are synthetic lubricants with high chemical and thermal stability.

- **ER-OL6021.K.P2** 1 Litre
- **ER-OL6021.P.P2** 5 Litre
- **ER-OL6021.T** 25 Litre



### Errecom OL6062 POE 55 CO2 Lubricant Oil

Due to their good miscibility with refrigerants they are the best choice for applications with HFC/FC such as R134a, R404A, R407C.

- **ER-OL6062.P.P2** 5 Litres



### Errecom OL6063 POE 55 CO2 Lubricant Oil

POE lubricants are high-performance Polyol ester-based synthetic lubricants specially developed for CO2 applications.

- **ER-OL6063.P.P2** 5 Litres



### Errecom OL6084 CO2 POE 100 Lubricant Oil

Optimise miscibility with CO2 thus increasing heat exchange even in the low temperature zone.

- **ER-OL6084.P.P2** 5 Litres

## Vacuum Pump Oils



### Errecom Vacuum Pump Oils

Errecom Vacuum Pump Lubricants are developed on a high viscosity index lubricant formulated from selected paraffinic base oils. These oils are designed with additives that achieve better lubricity, chemical and thermal stability as well as excellent anti-wear protection of the AC/R system components.

- **ER-OL6053.K.P2** Vacuum Pump Oil ISO 32 1 Litre
- **ER-OL6053.P.P2** Vacuum Pump Oil ISO 32 5 Litre
- **ER-OL6054.K.P2** Vacuum Pump Oil ISO 46 1 Litre
- **ER-OL6054.P.P2** Vacuum Pump Oil ISO 46 5 Litre
- **ER-OL1008.K.P2** Vacuum Pump Oil ISO 68 1 Litre
- **ER-OL1008.P.P2** Vacuum Pump Oil ISO 46 5 Litre

## Voltage & Continuity Testers



### Uni-T UT12 AC Voltage Detectors

Drop proof professional grade voltage detectors.

- **UT12E** AC Voltage Detector IP 65
- **UT12M** AC Voltage Detector IP 67



### Uni-T UT18 Continuity Testers

For testing AC/DC Voltage, 3 Phase Voltage, Phase Sequence & Continuity.

- **UT18C** LED Indicators
- **UT18D** LCD Screen

## Sound Meters



### Uni-T UT352 Sound Level Meter SKU: UT352

Measures sound noise level and outputs results in db, A or C weighted modes.



### Uni-T UT353BT Sound Level Meter SKU: UT353BT

Has a wide range from 30dB to 130dB. Can transfer measurement data through Bluetooth.

## Anemometers



### Uni-T UT362 Wind Speed Meter SKU: UT362

Portable & useful anemometer for measuring wind speed, count & temperature.



### Uni-T UT363BT Mini Anemometer SKU: UT363BT

Lightweight bluetooth device equipped with the latest magnetic sensing technology.

## Humidity & Temperature Meters



### Uni-T UT333S Digital Temperature Humidity Meter SKU: UT333S

A stable, safe and reliable mini digital temperature humidity meter.



### Uni-T UT333BT Mini Temperature & Humidity Meter SKU: UT333BT

Temperature humidity sensing module technology to sample, process data and display results on LCD.

## Lux Meters



### Uni-T UT382 Lux Meter SKU: UT382

Measures light intensity & displays results in LUX & FC with a high sampling rate of 100/s.



### Uni-T UT383BT Mini Lux Meter SKU: UT383BT

This lux meter can represent light intensity with electric signals.

## CO2 Meters



### Uni-T A37 CO2 Meter SKU: UTA37

LCD displays CO2 concentration, temperature, humidity and date/time together.

## CO Meters



### Uni-T UT337A CO Meter SKU: UT337A

A portable meter for detecting carbon monoxide gas.

## Three Phase Power Quality Analyzer



### Uni-T UT285C Three Phase Power Quality Analyzer SKU: UT285C

Active, reactive, apparent power, by phase and cumulative

## Leeb Hardness Tester



### Uni-T UT347A Leeb Hardness Tester SKU: UT347A

Suitable for field hardness testing of large equipment

## Earth Ground Testers



### Uni-T UT275 Clamp Earth Ground Tester SKU: UT275

Measures grounding system without disconnecting circuit ground lines.



### Uni-T UT522 Earth Ground Tester SKU: UT522

Perform precise 3-wire and simple 2-wire earth resistance measurements

## Digital Multimeters



### Uni-T UT39C+ AC DC V/A Ohm Temp HZ Multimeter

**SKU: UT39C+**

AC DC digital manual range multimeter with data hold and overload protection.



### Uni-T UT39E+ High Protection Multimeter

**SKU: UT39E+**

Measures AC/DC current & voltage, resistance, capacitance, frequency & test diodes.



### Uni-T UT136C+ Digital Multimeter

**SKU: UT136C+**

4 times/second sampling rate provides users with more accurate readings.



### Uni-T UT105 Automotive Multimeter

**SKU: UT105**

For DC current, AC/DC voltage, resistance, tach & dwell measurement.



### Uni-T UT107 Automotive Multimeter

**SKU: UT107**

Automotive multimeter helps diagnose problems in an automobile.



### Uni-T UT139S True RMS Multimeter

**SKU: UT139S**

Its NCV feature can check electrical status through measuring EM field intensity.



### Uni-T UT17B-PRO Multimeter

**SKU: UT17B-PRO**

CAT III 1000V/CAT IV 600V ratings it is equipped with a built-in VFC.



### Uni-T 195 Series Industrial Multimeters

For motor driver, factory equipment maintenance and electrical distribution.

• **UT195E**

• **UT195M**

• **UT195DS**



### Uni-T UT61D+ 1000V True RMS Digital Multimeter

**SKU: UT61D+**

Reliable true RMS multimeter with audible & visible alarm and display count of 6000.



### Uni-T UT181A True RMS Data-logging Multimeter

**SKU: UT181A**

Powerful multimeter with features, trend capture & dual temperature measurement.



### Uni-T UT892 2000V AC/DC High Voltage Digital Multimeter

**SKU: UT892**

Provides AC/DC voltage measurement up to 2000V with full range overload protection.



### Uni-T UT171C Industrial True RMS Digital Multimeter

**SKU: UT171C**

Industrial-grade multimeter used by professionals with USB/Bluetooth communication.



### Uni-T UT196 1700V DC True RMS Professional Multimeter - Solar Pro

**SKU: UT196**

With 1700V DC, 1500Vrms AC overload protection and tested for safe usage in CAT III 1000V & CAT IV 600V environments.

## Digital Manometers



### Uni-T UT366A Digital Manometer

**SKU: UT366A**

UT366A is a device designed for assessing gauge pressure and differential pressure

## Digital Micro Ohm Meter



### Uni-T UT620A

**SKU: UT620A**

Comparison function to determine if the device is in good condition, unknown wire length calculation (FT/M); two-way data transmission.

## Digital Thermometers



### Uni-T UT325F 4-Channel Thermometer

**SKU: UT325F**

High- accuracy digital thermometer that uses a thermocouple as the temperature probe.

## Tachometers



### Uni-T UT372 Non-Contact Tachometer

**SKU: UT372**

Measure rotating speed of shaft or disk with a point laser and reflective tape on the object being measured.

## Clamp Meters



### Uni-T UT208B True RMS Clamp Meter

SKU: UT208B

High precision temperature measurement with 0.1°C resolution.



### Uni-T UT213C True RMS Clamp Meter

SKU: UT213C

Measure AC and DC voltage, AC and DC current, resistance, capacitance, frequency and temperature



### Uni-T UT216C True RMS Clamp Meter

SKU: UT216C

Measuring high-frequency currents (upto 400Hz) in railways & aerospace, server rooms & IT systems.



### Uni-T UT219 Professional Clamp Meter

A 600A True RMS clamp meter with CAT IV 600V and IP54 rating.

• UT219E

• UT219M

• UT219DS



### Uni-T UT210 True RMS Clamp Meters

UT210 series mini clamp meters are designed to work well in limited space environments.

• UT210D

• UT210E

## Leakage Clamp Meters



### Uni-T UT251C Leakage Current Clamp Meter

SKU: UT251C

High-accuracy high sensitivity leakage current clamp meters are designed for testing AC leakage current.



### Uni-T UT258A AC/DC Leakage Clamp Meter

SKU: UT258A

Measures 0mA-60A AC/DC leakage current with zero mode,  $\varnothing$ 7mm jaw and RS-232 interface.

## Insulation Testers



### Uni-T UT501 1000V Insulation Resistance Testers

Insulation resistance measurement for various kinds of electric equipment.

• UT501A

• UT501B

• UT502A



### Uni-T UT528AU Insulation Resistance Tester

SKU: UT528AU

Conducts test on Class I & Class II appliances & extension leads.



### Uni-T UT593AU Multifunction RCD Loop Tester

SKU: UT593AU

For RCD, line/loop impedance continuity, insulation resistance, DC & AC voltage.



### Uni-T UT533 Insulation Resistance Multimeter

SKU: UT533

Designed for measuring insulation resistance, AC/DC voltage/current, resistance, capacitance, frequency, and temperature.



### Uni-T UT516B High Voltage Insulation Tester

SKU: UT516B

Insulation resistance tester with 6 ranges: 500V, 1000V, 2500V, 5000V, 10000V and 12000V.



### Uni-T UT512D/E 2.5kV Insulation Resistance Testers

Designed with multiple ranges including 250V, 500V, 1000V, 2500V.

• UT512D

• UT512E



### Uni-T UT513 Series Insulation Testers

Designed with multiple ranges including 250V, 500V, 1000V, 2500V.

• UT513A

• UT513B

• UT513C

## Voltage Transformer



### Uni-T UT225A/B Wireless High Voltage Transformer Turns Ratio Testers

Suitable for efficient on-site evaluation of current transformers in metering setups.

• UT225A

• UT225B

## Vibration Tester



### Uni-T UT315A Vibration Tester

SKU: UT315A

Can measure displacement, velocity, and acceleration of rotating and reciprocating machinery.

## LCR Meters



### Uni-T UT612 LCR Meter SKU: UT612

Used to measure inductance, capacitance and resistance.

## High Voltage Clamp Ammeters



### Uni-T UT255 High Voltage Clamp Ammeters

Measure up to 69kV high voltage line current and leakage current.

• UT255A • UT255B

## Solar Meters



### Uni-T UT673PV Solar MPPT Meter SKU: UT673V

Identify abnormalities in solar panels by testing maximum power, peak power voltage & current, open circuit voltage, and short circuit current.

## Rotation Indicators



### Uni-T UT261A/B Phase Sequence & Motor Rotation Indicators

Measures sound noise level and outputs results in db, A or C weighted modes.

• UT261A • UT261B

## Laser Levels



### Uni-T LM570LD-II Laser Level SKU: LM570LD-II

Equipped with green LD laser suitable for large or bright workplaces.

## Pipeline Blockage Detectors



### Uni-T UT661D Pipeline Blockage Detector SKU: UT661D

Quickly locate blockages, clogging inside pipelines from a distance of 50cm.

## Laser Distance Meters



### Uni-T LM50A Laser Distance Meter SKU: LM50A

Easily and accurately measure length, area and volume by pressing one button.



### Uni-T LM100A Laser Distance Meter SKU: LM100A

Easily and accurately measure length, area and volume by pressing one button.

## Wall Scanners



### Uni-T UT387A Wall Scanner SKU: UT387A

For construction and home improvement sector to find objects, wires behind walls.



### Uni-T UT387D Wall Scanner SKU: UT387D

Enable you to detect electric wire, metal objects, and wooden beams accurately.

## Thickness Gauges



### Uni-T UT343D Coating Thickness Gauge SKU: UT343D

Measure coating thickness on ferrous & non-ferrous materials.

## Fork Meters



### Uni-T UT256 60A AC/DC Fork Meter

CAT III 600V auto-ranging True RMS fork meter that measures 60A AC/DC current.

• UT256 • UT256B

## Wall Trackers



### Uni-T UT683KIT Wire Tracker SKU: UT683KIT

Can automatically identify open, short, polarity, and quickly distinguish cable failure.



### Uni-T UT682 Wire Tracker SKU: UT682

It is able to track ethernet/telephone/power cables without opening their insulation.



### Uni-T UT685B-KIT Cable Tester SKU: UT685B-KIT

Find the cable, detect the cable length, and line sequence.

## Infrared Thermometers



### Uni-T UT300S Non Contact Infrared Thermometer -32°C~400°C

SKU: UT300S

Accurate, lightweight infrared thermometer with a measuring point-size ratio of 10:1.



### Uni-T UT302A+ Non Contact Infrared Thermometer -32°C~700°C

SKU: UT302A+

Professional colour LDF non-contact infrared laser thermometer with 20:1 D:S ratio.



### Uni-T UT306A Mini IR Infrared Thermometer -35°C~300°C

SKU: UT306A

With D:S ratio 6:01 suitable for quick precise indoor measurements.



### Uni-T UT309C Professional Dual Laser Infrared Thermometer -35°C~650°C

SKU: UT309C

With a 12:01 D:S ratio surface temperature through the energy radiated by the target surface.



### Uni-T UT305S Professional Infrared Thermometer -32°C~2000°C

SKU: UT305S

Designed with a 50:1 D:S ratio for accurate measurement of long-range temperatures.



### Uni-T UT303D+ Infrared Thermometer -32°C~1300°C

SKU: UT303D+

A 30:1 D:S ratio. Precisely target objects within 250ms with single spot laser.



### Uni-T UT305C+ Infrared Thermometer -50°C~2200°C

SKU: UT305C+

High-precision, high-distance ratio (55:1), wide temperature range (-50°C~2200°C) non-contact infrared thermometer.

## Battery Testers



### Uni-T UT675A Battery Tester

SKU: UT675A

Used to analyze the battery health of automobile batteries, suitable for battery capacities from 30Ah to 200Ah.



### Uni-T UT677A Battery Internal Resistance Tester

SKU: UT677A

Measure the internal resistance, voltage, and temperature of rechargeable batteries.

## Contact Type Thermometers



### Uni-T UT320D Mini Contact Type Thermometer

SKU: UT320D

Double channel contact type thermometer with a temperature range of -50°C~1300°C.

## Temperature Data Loggers



### Uni-T UT330 USB Temperature Datalogger

USB dataloggers uses temperature and humidity sensors for long period monitoring and recording.

• UT330T • UT330TH

## Process Calibrators



### Uni-T UT705 Current Loop Calibrator

SKU: UT705

High accuracy DC current & transmitter analogue current outputs.



### Uni-T UT714 Multifunction Temperature Process Calibrator

SKU: UT714

Powerful temperature calibrator that sources and measures thermocouples, RTDs, voltage, and resistance.



### Uni-T UT715 Multifunction Loop Process Calibrator

SKU: UT715

Multifunction loop process calibrator, measures and sources loop current and voltage.



### Uni-T UT725 Multifunction Process Calibrator

SKU: UT725

Multifunction process calibrator combines with the temperature process calibrator and loop process calibrator function.

## Thermal Imagers



### Uni-T UTi712S Value Thermal Camera (-20°C~400°C)

SKU: UTi712S

Wh temperature compensation feature allowing more accurate reading.



### Uni-T UTi260B Thermal Imager (-15°C~550°C)

SKU: UTi260B

Combines surface temperature measurements with real time thermal images



### Uni-T UTi384G Enhanced Thermal Camera (-20°C~550°C)

SKU: UTi384G

Specially designed for industrial use with high IR resolution 384x288.



### Uni-T UTi740H Enhanced Thermal Camera (-30°C~650°C)

SKU: UTi740H

4.3 " IPS display screen can clearly display 384x288 IR resolution and 5MP digital camera.



### Uni-T UTi32 High Temperature Thermal Camera (-20°C~1000°C)

SKU: UTi32

Designed for higher temperature applications, such as: iron forging, glassware & porcelain production, etc.



### Uni-T UTi730E Enhanced Thermal Camera (-20°C~550°C)

SKU: UTi730E

Clearly display 320x240 thermal resolution 2MP visual camera.



### Uni-T UTi720E Thermal Imager (-20°C~550°C)

SKU: UTi720E

Its large 3.5" IPS display screen can clearly display 256x192 thermal resolution 2MP visual camera.



### Uni-T UTi256G Enhanced Thermal Camera (-20°C~550°C)

SKU: UTi256G

Designed for industrial use with high IR resolution 256x192 and wide temperature range:-20°C~550°C.

## Acoustic Imagers



### Uni-T UT568A Acoustic Imager

SKU: UT568A

Dynamically displays changing data related to the distribution of sound sources on the screen.

## Borescopes



### Uni-T UT665 Borescope

SKU: UT665

Its flexible camera probe provides clear images, making it perfect for checking car engines, pipes, walls, and drains

## Phase Detectors



### Uni-T UT262E Non-Contact Phase Detector

SKU: UT262E

UT262E is a non-contact phase detector designed in a clamp-type configuration

## Radiation Testers




### Uni-T UT334A Radiation Dose Tester

SKU: UT334A

High sensitive GM counter sensor, combined Beta, Gamma, and X-ray radiation detection.

**WHOLESALE LOGIN PORTAL**



Is an item in stock?  
What is my buy price?

Log in today with your branch email and check stock,  
create a quote and more.

[huddleston.com.au/distributorportal/](http://huddleston.com.au/distributorportal/)



**Huddleston Australia**

Our mission: Connecting Australian businesses with recognised global HVAC/R  
+ electrical manufacturers with great service and support, every day.

**Sales**

Telephone: +61 (0)8 7077 4600  
E-mail: [info@huddleston.com.au](mailto:info@huddleston.com.au)

**Head Office**

Address: 12 Burdon Street  
Dudley Park SA 5008  
Australia