



Version - October 2026



CONTENTS

Vacuum Pumps	3	Voltage & Continuity Testers	14
Vacuum Pump Oil	3	Sound Meters	14
Digital Vacuum Gauges	3	Anemometers	15
Recovery Units	3	Humidity & Temperature Meters	15
Refrigerant Scales	3	Lux Meters	15
Manifolds	4	Co2 Meters	15
Digital Manifold Gauges	4	Three Phase Power Quality Analyzer	15
Refrigeration Charging Hoses	4	Earth Ground Testers	15
Evacuation Hoses & Kits	4	CO Meters	15
Handheld Leak Detectors	5	Leeb Hardness Tester	15
Nitrogen Regulators	5	Digital Manometers	15
Nitrogen Purge Tool	5	Digital Thermometers	15
Brazing Tools	6	Digital Micro Ohm Meter	15
Condensate Pumps	6	Tachometers	15
Condensate Drain Guns	6	Digital Multimeters	16
Coil Cleaning Systems	6	Clamp Meters	16
AC Cleaning Bags & Kits	6	Leakage Clamp Meters	17
A/C Cleaning Products	7	Insulation Testers	17
Leak Detection Bubbles	8	Voltage Transformer	17
Solar Panel Cleaners	8	Vibration Tester	17
Anti Corrosion Treatments	8	LCR Meters	17
Flushing Agents	8	Solar Meters	17
Flushing Guns	8	Fork Meters	17
Tube Cutters	8	Rotation Indicators	17
Leak Sealants & AC System Additives	9	Laser Levels	18
Flaring	10	Wall Scanners	18
Tube Expanders	10	Infrared Thermometers	18
Spin Flaring & Swaging Tools	10	Solar Irradiance Meters	18
Service Wrenches	10	Pipeline Blockage Detectors	18
Deburrer & Reamer Tools	10	Laser Distance Meters	18
Tube Benders	11	Thickness Gauges	18
CrossBow Benders	11	Battery Testers	18
Lever Benders	11	High Voltage Clamp Ammeters	18
Spring Benders	11	Wall Trackers	18
Pair Coil Benders	12	Contact Type Thermometers	19
Torque Wrenches	12	Process Calibrators	19
Inspection Mirrors	12	Temperature Data Loggers	19
Fin Straightening Tools	12	Process Calibrators	19
Valve Core Removal Tools	13	Thermal Imagers	19
Adapters	13	Acoustic Imagers	19
Couplers	13	Phase Detectors	19
Core Depressors	13	Borescopes	19
No Flare Fitting	13	Radiation Testers	19
Refrigeration Lubricants	14		

Vacuum Pumps



Bradley Vacuum pumps with Electronic Solenoid Valve

- Use A1 (R134A/ R410A) and A2L (R32 and R1234yf) refrigerants
- 15 micron ultimate vacuum
- 1/4" and 3/8" inlet valves
- Electronic solenoid valve
- 5 metre hardwired power cable

	BRA-VP50S	BRA-VP150S	BRA-VP250S	BRA-VP350S
Free Air Displacement	50 L/min (1.5 CFM)	150 L/min (5 CFM)	250 L/min (9 CFM)	350 L/min (12 CFM)
Ultimate Vacuum	15 Microns (2pa)	15 Microns (2pa)	15 Microns (2pa)	15 Microns (2pa)
Oil Capacity	350ml	400ml	600ml	600ml
Dimensions	290 x 125 x 235mm	325 x 135 x 250mm	360 x 155 x 270mm	360 x 155 x 270mm
Net Weight	6kg	9.5kg	15kg	16.5 kg

Vacuum Pump Oils



Bradley Universal Vacuum Pump Oil

The BRADLEY Universal Vacuum Pump Oil is a premium mineral-based vacuum pump lubricant specifically formulated for HVAC/R vacuum pumps. Engineered to maintain viscosity at elevated operating temperatures while resisting thermal breakdown, it helps vacuum pumps achieve and maintain deep vacuum levels for faster, more reliable evacuations.

- 1 Litre Bottle
- 4 Litre Bottle

Digital Vacuum Gauges



Accutools BluVac+ Micro Wireless & µBluVac Digital Micron Gauges

- Oil Sensor Indicator, Self-Calibration Test, Easy Calibration
- 0 to 25,000-micron range with 1-micron resolution
- Measures vacuum in microns, pascals, millibar, mmHg, and torr
- **AT-A10730** BluVac+ Micro Wireless
- **AT-A10673** µBluVac Micron Not Wireless



Accutools BluVac+ Pro Wireless Digital Vacuum Gauge

SKU: AT-A10702

- Oil Sensor Indicator, Self-Calibration Test, Easy Calibration
- 0 to 25,000-micron range with 1-micron resolution



Uni-T UT336V Wireless Vacuum Gauge

SKU: UT336V

- Accurate vacuum & ambient temperature measurement
- Bluetooth app connection with 8,000 data storage
- IP54-rated design with convenient hook

Recovery Units



Promax MINIMAX-A High Pressure Recovery Unit

SKU: PM-MINIMAX-A

- Recovers all commonly used CFC, HFC, HCFC refrigerants including A2L, R32 or R1234yf
- Minimum size - maximum performance; ideal for residential and appliance service
- Proprietary "oil-less" compressor capable of handling both liquid and vapour refrigerants



Promax RG5410A-A Refrigerant Recovery Unit

SKU: PM-RG5410A-A

- Recovers all commonly used CFC, HFC, and HCFC refrigerants including A2L like R32 or R1234yf
- High-Pressure safety "cut off" switch 38.5 bar (550 psi)
- 3/8" - 3-row Condensor for maximum performance in even the hardest conditions
- New Generation Compressor, new valves and piston

Refrigerant Scales



TIF 9030 Refrigerant Scale

SKU: TIF-9030

- Compact Design
- Range of up to 100kg
- Display weight in kg, oz, lbs
- Extremely durable
- Resolution 10g

Manifolds



Robinair RA-41132E90C 2-Way Analog Manifold R32/410A With 90cm Hoses

SKU: RA-41132E90C-HU

Piston-type seat ensures positive shut-off with minimal force. Double o-ring seal ensures leak free operation.

Digital Manifold Gauges



Uni-T UT336E Digital Manifold Gauge

The UT336E Digital Manifold Gauge is a powerful HVAC/R diagnostic tool designed for accurate pressure and temperature measurement with smart, wireless functionality.

- **UT336E** Digital Manifold Gauge
- **UT336E KIT** Digital Manifold Gauge with Wireless Temperature Clamps

Refrigeration Charging Hoses



Bradley Refrigeration Charging Hose Set

The Bradley Refrigeration Charging Hose Set is a professional-grade kit featuring three color-coded, high-pressure hoses designed for the safe and efficient transfer of refrigerants during HVAC system charging, recovery, and diagnostics.

- **BRA-HS1414-1M** Refrigeration Charging Hose 3pc Set (1m) - Red, Yellow, Blue - 1/4" x 1/4" SAE
- **BRA-HS1414-2M** Refrigeration Charging Hose 3pc Set (2m) - Red, Yellow, Blue - 1/4" x 1/4" SAE
- **BRA-HS1455-1M** Refrigeration Charging Hose 3pc Set (1m) - Red, Blue - 1/4" x 5/16" SAE, Yellow - 1/4" x 1/4" SAE
- **BRA-HS1455-2M** Refrigeration Charging Hose 3pc Set (2m) - Red, Blue - 1/4" x 5/16" SAE, Yellow - 1/4" x 1/4" SAE

Evacuation Hoses & Kits



Bradley Evacuation Hoses

The Bradley 0 vacuum hose delivers high flow capacity for faster evacuation times. With 3/8" and 1/4" brass fittings to ensure secure and leak-free connections to manifold gauges, vacuum pumps, and recovery units.

- **BRA-HS1438-1M** 3/8" Evacuation Hose 90cm
- **BRA-HS1438-2M** 3/8" Vacuum Hose 150cm



AccuTools TruBlu Evacuation Kits

Evacuate 80x faster than 1/4" I.D. hoses and up to 6x faster than other vacuum rated hoses on the market today.

- **AT-A10757-4MS** Starter Evacuation Kit with 1m hose
- **AT-A10757-4MSXL** Starter XL Evacuation Kit with 1.5m hose
- **AT-A10757-3** Professional Evacuation Kit with 2 x 1m hoses
- **AT-A10757-2** Advanced Evacuation Kit with 3 x 1m hoses

Handheld Leak Detectors



Inficon TEK-Mate Refrigerant Leak Detector

SKU: INF-705-202-G1

- Sensitivity of 2 g/year R134 and 5 grams/yr with R410a
- Detects CFCs, HCFCs, HFCs, and HFOs
- No false alarms from soap solutions (no exaggerated chlorine response)
- Runs on 2 "D" cell batteries
- Heated diode sensor technology



Inficon Gas-Mate Combustible Gas Leak Detector

SKU: INF-718-202-G41

- Sensitive to 5 ppm methane
- Designed for flammable refrigerants like R290, R600a, and R441a
- Certified intrinsically safe
- Detects natural gas, forming gas, propane, butane, cyclopentane, ethane, ethanol, isobutane and ammonia. Detects forming gas (95% nitrogen, 5% hydrogen)



Inficon Whisper Ultrasonic Leak Detector

Whisper is ideal for detecting and locating ultrasonic frequencies

- Detects pressure and vacuum leaks for all gases
- Works perfectly in noisy environments
- **INF-711-701-G41** Whisper Ultrasonic Leak Detector
- **INF-711-703-G11** Whisper Ultrasonic Leak Detector With Accessory Kit



Inficon D-TEK 3 Refrigerant Leak Detector

SKU: INF-721-202-G1

- Detects all CFCs, HCFCs, HFCs, HFOs, Low, Medium, High, and Super sensitivity settings
- Optional CO2 and Combustible Sensors, easily interchangeable.

Replacement Sensors

- **INF-724-701-G1** Replacement Sensor D-Tek Stratus
- **INF-724-701-G2** Replacement Sensor D-Tek Stratus CO2
- **INF-724-701-G3** Replacement Flammable Refrigerant Sensor



Inficon D-TEK Stratus Refrigerant Leak Detector

SKU: INF-724-202-G1

- Sensitivity of 1 g/year
- Detects all CFCs, HCFCs, HFCs, and HFOs.
- Cloud hunter and pinpoint modes are like having two leak detectors in one
- Optional CO2 and Combustible Sensors, easily interchangeable.



Inficon D-TEK Pro Refrigerant Leak Detector

SKU: INF-508-202-G1

- Sensitivity of 0.1 ppm resolution
- Detects all CFCs, HCFCs, HFCs, HFOs, and A2L refrigerants
- Pro Mode combines Cloud Hunting and pinpoint detection
- Mobile app generates reports with ppm tracking and GPS

Nitrogen Regulators



Bradley NR1000 High Pressure Nitrogen Regulator

SKU: BRA-NR1000

- Single stage construction
- Inlet Fitting: Type 50 Connector
- Outlet Fitting: Male 1/4" SAE
- Working Pressure: 0-800 psi

Nitrogen Purge Tool



Bradley NPT50 Nitrogen Purge Tool

SKU: BRA-NPT50

- Regulate flow with 50 psi inlet pressure
- Two convenient flow rates, braze or purge
- Standard 1/4" hose fittings

Brazing Tools



Bradley HT8000 Hand Torch

SKU: BRA-HT8000

- Mapp or Propane Gas
- 30% Faster Brazing Times
- For copper, brass, bronze and aluminum



Errecom TR1173.01 Stop Heat

SKU: ER-TR1173.01

- Re-usable up to 40 times
- Safe and non-toxic



Tasco TA379MP-RS-EXP Hose + Small + Large Ring Torch

SKU: TA379MP-RS-EXP

Comes with a gas hose and small & large ring torches. Provides enhanced ergonomics and stability, reducing fatigue during prolonged use.

Condensate Pumps



Diversitech Redbox Mini Compact Condensate Pump

SKU: DT-REDBOX-COMPACT

- 21 dB(A) quiet operation
- Max flow rate: 20 LPH
- Discharge head: 15 m



Diversitech Redbox Tube Mini Condensate Pump

SKU: DT-REDBOX-TUBE

- 21 dB(A) operation
- Flow rate: 20 LPH
- Discharge head: 15 m



Diversitech Redbox Slim Mini Condensate Pump

SKU: DT-REDBOX-SLIM

- Max discharge head: 20 m
- Flow rate: 29 LPH
- Low power consumption: 2.5W



Diversitech Redbox Trunk Mini Condensate Pump

SKU: DT-REDBOX-TRUNK

- 21 dB(A) quiet operation
- Flow rate: 20 LPH
- Discharge head: 15 m



DiversiTech Redbox 1 Litre Condensate Pump

SKU: DT-REDBOX-1L-S

- Flow Rate: 280 LPH
- Reservoir Capacity: 1 Litres
- Discharge head: 5.1 metres



Diversitech Redbox Universal Mini Condensate Pump

SKU: DT-REDBOX-UNIVERSAL

- 21 dB(A) quiet operation
- Flow rate: 20 LPH
- Discharge head: 15 m



DiversiTech Redbox 2 Litre Condensate Pump

SKU: DT-REDBOX-2L-S

- Flow rate: 280 LPH
- Reservoir Capacity: 2 Litres
- Discharge head: 6.7 metres

Condensate Drain Guns



DiversiTech GG1 Drain Gun

- Clears condensate lines instantly
- Instant 800 PSI SWOOSH
- 15 Gram Co2 Cartridge
- **DT-GG1** Drain Gun
- **DT-GG1-12** CO2 Cartridges PK-12

AC Cleaning Bags & Kits



SpeedClean SC-CB Cassette Bib with Bungees and Bucket

- Designed to help you clean ceiling cassette units quickly and without making a mess in sensitive residential and commercial areas.

- **SC-MSB-KIT** SpeedClean MSB-KIT Mini-Split Bib Kit
- **SC-MSB-01** SpeedClean MSB-01 Mini-Split Bib Kit Replacement Bib

Coil Cleaning Systems

SpeedClean CoilJet Coil Cleaner System



	SC-CJ-125-AU	SC-CJ-200E-AU
Maximum Pressure	125 PSI	220 PSI
Flow Rate	2.25 L/min	—
Water Connection	—	Continuous Water Connection
Hose Length	3 m self-coiling hose	6 m self-coiling hose
Power Source	Battery Powered	240V / 50Hz



SpeedClean CJ-MSB-ACC-KIT Mini-split Cleaning Accessory Kit

Mini-Split Bib Accessory Kit works with the CoilJet coil cleaning system to create a complete kit for cleaning mini-split systems.

A/C Cleaning Products



Errecom Cleaning Tabs

Emerald Tabs is an ultimate solution by Errecom, which has been specifically developed in order to avoid the formation of contaminants due to water stagnancy inside the A/C system.

- **ER-AB1089.01** EVO Tabs Evaporator Purifying Cleaning Tablets
- **ER-AB1099.01** Emerald Tabs
- **ER-AB1090.01** Kino Tabs Alkaline Cleaner for Condensers
- **ER-AB1102.01** Acid Tabs for Condensers



Errecom ER-AB1073.K.01 Luxedo

Luxedo is a regenerative scented treatment for indoor evaporators which removes organic residues and dirt. 200ml



Errecom ER-AB1049.J.01 Foam Cleaner For A/C System

Evaporator Cleaner Foam is a foamy cleaner for evaporators that cleans, refreshes and purifies the A/C system.



Errecom Nano Acid Cleaner

The NANO ACID CLEANER is a concentrated acid cleaner specifically designed for condenser cleaning. Its powerful descaling action removes stubborn deposits such as dirt, rust, and salt scale from condenser coils, helping restore heat exchange efficiency. It can be applied in liquid or foaming form and can be diluted according to the level of dirt being removed. (Maximum Dilution: 1:8)

- **ER-AB1107.K.S1** 1L spray bottle, ready to use
- **ER-AB1107.P.01** 5L tank (Dilution: 1:8)



Errecom ER-AB1105.K.01 Universal Nano Cleaner

Universal Nano Cleaner is a fast-acting scented alkaline cleaner. It removes organic residues and dirt accumulated over time, slowing down its reappearance.

- **ER-AB1105.K.01** 1L spray bottle with trigger
- **ER-AB1105.P.01** 5L tank (Dilution: 1:5 or 1:6)



Errecom Nano Alkaline Cleaner

Nano Alkaline Cleaner is an alkaline-based cleaner designed for cleaning and degreasing condensers.

- **ER-AB1106.K.S1** 1 L spray bottle
- **ER-AB1106.K.01** 1 L bottle with trigger
- **ER-AB1106.P.01** 5 L tank (Dilution: 1:8)



Errecom ER-AB1063.YW.01 Power Clean Out

High Pressure Cleaner for Condensers in Aerosol Can. Power Clean Out is a condenser cleaner in a special aerosol can which has been designed to achieve a consistently high delivery pressure, that allows to remove even the most stubborn filth that accumulates between the finned batteries.



Errecom ER-AB1063.U.01 Power Clean In

POWER CLEAN IN is an evaporator cleaner whose special aerosol format is designed to achieve a constant high dispensing pressure. It easily removes even the heaviest dirt that accumulates inside the evaporator coils.



Errecom ER-PM1010.01 Ceily A/C Cover

The Errecom ER-PM1010.01 Ceily A/C Cover is a protective cleaning cover designed for ceiling-mounted and cassette air-conditioning units. The cover helps contain water, dirt, and cleaning residues during maintenance, protecting the surrounding area and floors while the indoor unit is being cleaned.



Errecom ER-AB1100.K.01 No-Age Corrosion Protection

NO-AGE is a corrosion protection treatment, designed for all AC/R and similar systems that are exposed in highly oxidizing environments (seaside, heavily polluted sites) where salt and acid rain reduce significantly the condenser life. Suitable for a wide range of purposes, but specially formulated for HVAC/R equipment and other similar industrial equipment.

Leak Detection Bubbles



Best Bubbles

Best Bubbles is a fast and easy solution to identify leaks in refrigerant lines and components of AC/R systems.

- **ER-TR1143.K.01** Best Bubbles 1 Litre
- **ER-TR1161.K.01** Best Bubbles Fluorescent 1 Litre

Solar Panel Cleaners



AB1086.K.S1 Apollo Solar Panel Cleaner

SKU: ER-AB1086.K.S1

Errecom Apollo is an alkaline-based liquid cleaning treatment for removing dirt that forms on solar panels

Anti Corrosion Treatments



ER-AB1100.K.01 No-Age Anti Corrosive Treatment

Spray on corrosion protection treatment. 1L.



ER-AB1104.M.01 No Age Gelly

Universal Corrosion Protection Treatment Gel. 50ml.

Flushing Agents



Belnet Flushing Agent Aerosol

BELNET AEROSOL is the fast solution to flush small refrigeration lines. 600ml.

- **ER-TR1009.U.M1** with 1/4 SAE Thread
- **ER-TR1009.U.M0** with Rubber Cone



Belnet Flushing Liquids

Belnet flushing liquid for all AC/R systems

- **ER-TR1009.01** 1L
- **ER-TR1055.01** 5L

Flushing Guns



Errecom AC/R Flushing Gun with 60cm Hose and Nozzle (Excludes Cannister)

SKU: ER-RP1027.01

- Easy to use
- 1.4" female ball valve
- 60cm hose
- 10 bar Safety Valve

Tube Cutters



Bradley BRA-TC30-ST Self-Tensioning Tubing Cutter with Quick Adjustment

SKU: BRA-TC30-ST

Features a self-tensioning mechanism, quick push-button adjustment, built-in O.D. indicator, and pressure indicator for clean, precise cuts on tubing from 3 mm to 30 mm (1/4"-1-1/8").



Imperial Small Tube Cutters

The Imperial Compact Tube Cutters are perfect for cutting metal tubing and loved by technicians around the world for durability and quality.

- **IMP-TC1050** 1/8" to 5/8" O.D
- **IMP-TC2050** 3/16" to 7/8" O.D



Imperial 174FSP Mini "imp" Tube Cutter

SKU: IMP-174FSP

Mini "imp" tube cutter. Requires only 1 15/16inch swing radius. 3/8 to 1-1/8 inch O.D. Tubing Cutter.



Imperial Tube Cutters

The Imperial tube cutters are the standard to which all-tube cutters are measured. Ideal for use in all applications for cutting metal tubing.

- **IMP-TC1000SP** General Cutting Wheels 1/8 to 1-1/8 inch
- **IMP-TC1010P** Stainless Steel Cutting Wheels 1/8 to 1-1/8 inch
- **IMP-312FCSP** Speciality tube cutter for 1/4 to 1-5/8inch

Leak Sealants & AC System Additives



Errecom Ultra 6ml Range

The ultimate refrigerant gas leak stop that repairs leaks up to 0.3mm in air conditioning and refrigeration systems. Visible under UV lamp. 1 cartridge treats up to 21 kWh.

- **ER-TR1163.AL.H3.S2** Extreme Ultra Leak Stop with UV Dye
- **ER-TR1163.AL.J7** Quick Coupler R134A for Automotive
- **ER-TR1176.AL.H4** White Ultra 6ml for R290/R600

Super Seal



DiversiTech® 946KIT Super Seal Automotive

SKU: DT-946KIT

DiversiTech® 946KIT Super Seal Premium Pro A/C Stop Leak permanently seals leaks in condenser, evaporator, accumulator, compressor, gaskets, o-rings, metal & rubber hoses.



DiversiTech 944KIT LeakArmor™ Universal

SKU: DT-944KIT

The DiversiTech 944KIT Super Seal Advanced Leak Armor is a powerful 2-in-1 leak repair and moisture control solution for refrigeration and HVAC-R systems.



DiversiTech® DT-981 Super Change Fast & Easy R22 System Retrofit

SKU: DT-981

The DT-981 Super Change provides a fast and easy way to convert a system from non-POE based oils and refrigerants such as R22 to newer HFC refrigerants including POE-based R407C and R410A without the need to flush the system (excluding compressor burnouts).

Flaring



Imperial 275 45 Degree Flaring Tool Kits

SKU: IMP-275FS

45 Degree Flaring and Swaging Tool converts quickly and easily. 1/8" – 3/4" OD Tube.



Bradley RF100 45° Eccentric Flaring Tool

SKU: BRA-RF100

45° Eccentric flaring tool with sliding positioner and drill-ready mode for copper & aluminium tube 1/4", 5/16", 3/8", 1/2", 5/8" & 3/4" O.D.



Bradley RF410 Eccentric Cone Flaring Tool

SKU: BRA-RF410

Eccentric flaring tool with sliding positioner and drill-ready mode for copper & aluminium tube 1/4", 5/16", 3/8", 1/2", 5/8", 3/4" 1-3/8" Dr. with 5/16" Hex Adapter

Tube Expanders



Hilmor 1839015 Compact Swage Kits

SKU: HIL-1839015

Can swage 1-5/8" tubing to 5/16" without a crack. Includes a deburring tool, designed to remove sharp edges and burrs. The Deluxe Compact Swage Tool has the power to swage 2-1/8" tubing and the control to swage 1/4" tubing without a crack. Includes sizes up to 1 5/8".

- **HIL-1839015** Compact swage tool kit
- **HIL-1964041** Deluxe compact swage kit

Spin Flaring & Swaging Tools



SpinTools Flaring & Swaging Tools

The SPIN Flaring and Swaging range is designed for the most common tubing diameters in HVAC, and it's recommended for both soft and hard copper. Compatible with 1/4" – 3/8" – 1/2" – 5/8" – 3/4" – 7/8" tube sizes

- Flawless flares/swages in five seconds
- Universal drill compatibility
- Reusable tool with long-life design
- Heat by friction
- **ST-F4000** 1/4", 3/8", 1/2" and 5/8"
- **ST-F5000** 1/4", 3/4", 1/2", 5/8" and 3/8"
- **ST-F6000** 1/4", 3/4", 1/2", 5/8", 3/8" and 7/8"
- **ST-S4000** 1/4", 3/8", 1/2" and 5/8"
- **ST-S5000** 1/4", 3/4", 1/2", 5/8" and 3/8"
- **ST-S6000** 1/4", 3/4", 1/2", 5/8", 3/8" and 7/8"

Service Wrenches



Imperial Ratchet Wrench

The Imperial 127C Ratchet Wrench has 1/4", 3/8", 3/16" and 5/16" square drive ratchets and is specially designed for use on compressors with access valves in hard to reach places. The IMP-127CO Offset Ratchet Wrench is the same as 127-C except with a unique 25° offset.

- **IMP-127C**
- **IMP-127CO**

Deburrer & Reamer Tools



Bradley Deburring Pen with Pocket Clip

SKU: BRA-DBP100

Pocket Size Deburring Tool lets you put your silky-smooth signature on even the smallest pieces of tubing.



BRADLEY BRA-IOR635 Inner-Outer Reamer

SKU: BRA-IOR635

Pocket Size Deburring Tool lets you put your silky-smooth signature on even the smallest pieces of tubing.

Tube Benders



Imperial 368FH Triple Head Tube Bender

SKU: IMP-368FH

Triple Head Tube Bender 3/16", 1/4", 5/16", 3/8"



Imperial 370FHC Triple Head 180 Degree

SKU: IMP-370FHC

Tripleheader bender has calibrated marking, 3/16", 1/4", 3/8", 1/2".



Imperial 470FH Triple Head 180 Degree

SKU: IMP-470FH

Triple Head 180° Tube Bender With Roto-Lok™ Indexing Handle. Bends 3/16", 1/4", 5/16" and 3/8" O.D. tubing.



Tasco TA515M-S1 Gear Type Tube Bender

SKU: TA515M-S1

The Tasco TA515M-S1 is a manual, gear-driven straight tube bender for professional HVAC/R, delivering precise copper bends without electricity.



Tasco TA540B Series Lever Type Tube Benders

- **TA540B-3** 3/8" Tube Bender
- **TA540B-4** 1/2" Tube Bender
- **TA540B-5** 5/8" Tube Bender
- **TA540B-6** 3/4" Tube Bender
- **TA540B-7** 7/8" Tube Bender

Tasco TA540B Series Lever Type Tube Benders

- **TA540P-4** 1/2" Tube Bender
- **TA540P-5** 5/8" Tube Bender
- **TA540P-6** 3/4" Tube Bender
- **TA540P-7** 7/8" Tube Bender



CrossBow Benders



Bradley BRA-CTB300 Compact Tube Bender with Reverse Kit

SKU: BRA-CTB300

A professional-grade compact tube bender kit designed for precision manual bending of soft copper and aluminum tubing, making it an essential tool for HVAC and refrigeration technicians.

Lever Benders



Imperial 364FHA Lever Bender Range

Each tool bends one size. Open-side type which slips over tube at any point. Makes smooth, tight radius bends up to 180° with minimum effort.

- | | | | |
|-----------------------|----------|-----------------------|---------|
| • IMP-364FHA03 | 3/16" OD | • IMP-364FHA08 | 1/2" OD |
| • IMP-364FHA04 | 1/4" OD | • IMP-364FHA10 | 5/8" OD |
| • IMP-364FHA05 | 5/16" OD | • IMP-364FHA12 | 3/4" OD |
| • IMP-364FHA06 | 3/8" OD | | |

Imperial 364FHB Swivel Bender Range

The 364-FHB series has a swivel handle that can be repositioned midway through a bend when both handles begin to meet. This simple feature allows easy fabrication of bends up to 180°.

- **IMP-364FHB04** 1/4" Swivel Handle Lever Bender
- **IMP-364FHB05** 5/16" Swivel Handle Lever Bender
- **IMP-364FHB06** 3/8" Swivel Handle Lever Bender
- **IMP-364FHB07** 7/16" Swivel Handle Tube Bender
- **IMP-364FHB08** 1/2" Swivel Handle Tube Bender



Spring Benders



Bradley STB6-KIT Spring Tube Bender Set

SKU: BRA-STB6-KIT

6 spring benders 1/4", 5/16", 3/8", 7/16", 1/2", and 5/8"

Pair Coil Benders



Bradley Pair Coil Bender

Pair Coil Bender is designed to offer the installer fast, easy, and quality 'kink-free bends in AC Refrigerant Lines. Available in 6 sizes

- **BRA-PCB04R-3** 1/4" 3M Red
- **BRA-PCB06G-3** 3/8" 3M Green
- **BRA-PCB08Y-3** 1/2" 3M Yellow
- **BRA-PCB10B-3** 5/8" 3M Blue
- **BRA-PCB12P-3** 3/4" 3M Purple
- **BRA-PCB14B-3** 7/8" 3M Black
- **BRA-PCB4-KIT** Set of 3/8", 1/2", 5/8" & 3/4"
- **BRA-PCB6-KIT** Set of 1/4" 3/8", 1/2", 5/8", 3/4" & 7/8"

Torque Wrenches



BRADLEY TW8 Metric Torque Wrench Set

SKU: BRA-TW8

Torque Wrench Set for R-410A Air Conditioning and Refrigeration. Jaw sizes: 17, 19, 22, 24, 26, 27, and 29mm.



BRADLEY TW4 Torque Wrench Pre-Set

SKU: BRA-TW4

The TW4 is a Pre-Set Torque Wrench Set designed specifically for AC/R systems. Jaw sizes 17mm (1/4"), 22mm (3/8"), 26mm (1/2"), and 29mm (3/4")



Hilmor 1963826 Digital Adjustable Torque Wrench

SKU: HIL-1963826

Digital Adjustable Torque Wrench reduces the risk of refrigerant leaks from over or under-tightening a flare nut on a mini-split. Jaws extend up to 27mm. Up to 135Nm



Bradley BRA-TWDA Digital Torque Wrench

SKU: BRA-TWDA

The Bradley BRA-TWDA is a high-precision digital torque wrench featuring four quick-access preset buttons for rapid, accurate fastening across multiple common torque settings.



Tasco Torque Wrenches & Sets

Tasco Torque Wrench Sets are high-quality tools designed to provide accurate and reliable torque control when tightening nuts and bolts.

- **TA771ST-23S** Torque Wrench Set. Standard model. includes 1/4" & 3/8" torque wrenches and case.

Inspection Mirrors



Hilmor Telescoping Mirror

Evacuate 80x faster than 1/4" I.D. hoses and up to 6x faster than other vacuum rated

- **HIL-M1** 1 - 1/4" Circular Telescoping Mirror
- **HIL-M2** 2 - 1/4" Circular Telescoping Mirror
- **HIL-M3** 2 - 1/8" X 3 - 1/2" Rectangular Telescoping Mirror
- **HIL-M4** 1" x 2" Oval Telescoping Mirror

Fin Straightening Tools



Hilmor T-300 Metal Fin Tool Straightening Tool

SKU: HIL-T-300

Fin Tool Kit includes sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20 FPI.



Hilmor Fin Comb Tools

Fin Tool Sets no matter your requirements.

- **HIL-T-400** 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20 FPI



Hilmor 1891255 Fin Straightening Tool

SKU: HIL-1891255

With two wheels that offer 12 sizes, the Hilmor Fin Straightening Tool makes it easy to remove

Valve Core Removal Tools



Bradley Core Removal Tools

Designed to remove and install valve core without losing system charge. Improves evacuation and charging times by creating unrestricted access. 1/4" port is designed for connecting electronic vacuum gauge for accurate measurement during evacuation.

- **BRA-CRT14** 1/4" flare core removal tool
- **BRA-CRT56** 5/16" flare core removal tool

Adapters



Bradley Adapters

Designed for HVAC/R Professionals, our convenient vacuum and pressure rated adapters are there when you needed them.

- **BRA-AD5614** 1/4 male flare x 5/16" female flare swivel
- **BRA-AD1438** 3/8" male flare x 14" female flare swivel
- **BRA-AD1456** 1/4" female flare x 5/16" male flare

Couplers



Bradley BRA-CP1414 Coupler for Vacuum Gauges

SKU: BRA-CP1414

Designed for HVAC/R Professionals, this brass coupler is designed to connect tools or equipment where accurate vacuum or pressure readings are essential. Vacuum and pressure rated. Works with all 1/4" male fittings on CRTs and Vacuum Gauges, and many more tools.



Imperial Kwik Couplers

Kwik-couplers simplify the operation of charging refrigerant systems.

- **IMP-16C** 1/4 Straight Kwik Coupler
- **IMP-17C** Kwik Coupler Elbow 1/4"
- **IMP-18C** Kwik Coupler Set
- **IMP-26C** Kwik Coupler Straight 5/16"
- **IMP-27C** 90° Elbow Kwik Coupler 5/16"

Core Depressors



Bradley Core Depressors

Designed for convenience and safety, Schrader core depressors allow technicians to fully open a valve to access system pressure without removing the valve core.

- **BRA-CD5656** 5/16" SAE x 5/16" SAE
- **BRA-CD1414** 1/4" SAE x 1/4" SAE
- **BRA-CD1456** 1/4" SAE x 5/16" SAE
- **BRA-CD5614** 5/16" SAE x 1/4" SAE



Bradley Mini Core Depressors

When accessing service valves in tight locations, the Mini Core Depressor will allow you to connect a hose at a 90° angle. When evaluating a system, a fully open Schrader core will improve evacuation speeds.

- **BRA-MCD14** 1/4" Male Flare x 1/4" Female Flare
- **BRA-MCD56** 1/4" Male Flare x 5/16" Female Flare

No Flare Fitting



Inoac Conic Joint

INOAC also offers the 'Conic Joint', a mechanical coupling specially developed to connect copper and aluminium pipes to the appliance without flare.

- **INO-CJ-06G** Conic Joint 1/4" PK2
- **INO-CJ-09G** Conic Joint 3/8" PK2
- **INO-CJ-12G** Conic Joint 1/2" PK2
- **INO-CJ-15G** Conic Joint 5/8" PK2
- **INO-CJTT-0612** Tightening Tool 1/4" & 1/2"
- **INO-CJTT-0915** Tightening Tool 3/8" & 5/8"

Refrigeration Lubricants



Errecom OL6057 Premium PAG Lubricant Oil

PAG lubricants have been developed for Automotive applications.

- **ER-OL6057.M.P2.MA** 500 ml
- **ER-OL6057.K.P2** 1 Litre
- **ER-OL6057.P.P2** 5 Litre



Errecom OL6003 Premium PAG 100 Lubricant Oil

Developed for automotive applications, specially with the use of R134a refrigerant gas.

- **ER-OL6003.M.P2** 500ml



Errecom OL6012 Polyol Ester 32 Lubricant Oil

They are the best choice for applications with HFC/FC such as R134a, R404A, R407C.

- **ER-OL6012.K.P2** 1 Litre
- **ER-OL6012.P.P2** 5 Litre



Errecom OL6016 Polyol Ester 68 Lubricant Oil

POE are synthetic lubricants with high chemical and thermal stability.

- **ER-OL6016.K.P2** 1 Litre
- **ER-OL6016.P.P2** 5 Litre
- **ER-OL6016.T** 25 Litre



Errecom OL6062 POE 55 CO2 Lubricant Oil

Due to their good miscibility with refrigerants they are the best choice for applications with HFC/FC such as R134a, R404A, R407C.

- **ER-OL6062.P.P2** 5 Litres



Errecom OL6084 CO2 POE 100 Lubricant Oil

Optimise miscibility with CO2 thus increasing heat exchange even in the low temperature zone.

- **ER-OL6084.P.P2** 5 Litres



Errecom OL6069 HC-PAG 68 Lubricant Oil

Blends of polyalkylene glycols chose among the best-performing and most innovative organic molecules on the market.

- **ER-OL6069.P.P2** 5 Litres



Errecom OL6011 POE 22 Lubricant Oil

POE oils are also compatible with hydrocarbons such as R290 propane and R1270 propylene.

- **ER-OL6011.K.P2** 1 Litre
- **ER-OL6011.P.P2** 5 Litre
- **ER-OL6011.T** 25 Litre



Errecom OL6015 POE 46 Lubricant Oil

The high viscosity index ensures excellent low-temperature flowability and a stable film at high temperatures.

- **ER-OL6015.P.P2** 5 Litres



Errecom OL6021 POE 220 Lubricant Oil

POE are synthetic lubricants with high chemical and thermal stability.

- **ER-OL6021.K.P2** 1 Litre
- **ER-OL6021.P.P2** 5 Litre
- **ER-OL6021.T** 25 Litre



Errecom OL6063 POE 55 CO2 Lubricant Oil

POE lubricants are high-performance Polyol ester-based synthetic lubricants specially developed for CO2 applications.

- **ER-OL6063.P.P2** 5 Litres

Voltage & Continuity Testers



Uni-T UT12 AC Voltage Detectors

Drop proof professional grade voltage detectors.

- **UT12E** AC Voltage Detector IP 65
- **UT12M** AC Voltage Detector IP 67

Sound Meters



Uni-T UT352 Sound Level Meter SKU: UT352

Measures sound noise level and outputs results in db, A or C weighted modes.



Uni-T UT18 Continuity Testers

For testing AC/DC Voltage, 3 Phase Voltage, Phase Sequence & Continuity.

- **UT18C** LED Indicators
- **UT18D** LCD Screen



Uni-T UT353BT Sound Level Meter SKU: UT353BT

Has a wide range from 30dB to 130dB. Can transfer measurement data through Bluetooth.

Anemometers



Uni-T UT362 Wind Speed Meter SKU: UT362

Portable & useful anemometer for measuring wind speed, count & temperature.



Uni-T UT363BT Mini Anemometer SKU: UT363BT

Lightweight bluetooth device equipped with the latest magnetic sensing technology.

Humidity & Temperature Meters



Uni-T UT333S Digital Temperature Humidity Meter SKU: UT333S

A stable, safe and reliable mini digital temperature humidity meter.



Uni-T UT333BT Mini Temperature & Humidity Meter SKU: UT333BT

Temperature humidity sensing module technology to sample, process data and display results on LCD.

Lux Meters



Uni-T UT382 Lux Meter SKU: UT382

Measures light intensity & displays results in LUX & FC with a high sampling rate of 100/s.



Uni-T UT383BT Mini Lux Meter SKU: UT383BT

This lux meter can represent light intensity with electric signals.

Co2 Meters



Uni-T A37 CO2 Meter SKU: UTA37

LCD displays CO2 concentration, temperature, humidity and date/time together.

CO Meters



Uni-T UT337A CO Meter SKU: UT337A

A portable meter for detecting carbon monoxide gas.

Three Phase Power Quality Analyzer



Uni-T UT285C Three Phase Power Quality Analyzer SKU: UT285C

Active, reactive, apparent power, by phase and cumulative

Leeb Hardness Tester



Uni-T UT347A Leeb Hardness Tester SKU: UT347A

Suitable for field hardness testing of large equipment

Earth Ground Testers



Uni-T UT275 Clamp Earth Ground Tester SKU: UT275

Measures grounding system without disconnecting circuit ground lines.



Uni-T UT522 Earth Ground Tester SKU: UT522

Perform precise 3-wire and simple 2-wire earth resistance measurements

Digital Manometers



Uni-T UT366A Digital Manometer SKU: UT366A

UT366A is a device designed for assessing gauge pressure and differential pressure

Digital Micro Ohm Meter



Uni-T UT620A SKU: UT620A

Comparison function to determine if the device is in good condition, unknown wire length calculation (FT/M); two-way data transmission.

Digital Thermometers



Uni-T UT325F 4-Channel Thermometer SKU: UT325F

High- accuracy digital thermometer that uses a thermocouple as the temperature probe.

Tachometers



Uni-T UT372 Non-Contact Tachometer SKU: UT372

Measure rotating speed of shaft or disk with a point laser and reflective tape on the object being measured.

Digital Multimeters



Uni-T UT39C+ AC DC V/A Ohm Temp HZ Multimeter

SKU: UT39C+

AC DC digital manual range multimeter with data hold and overload protection.



Uni-T UT39E+ High Protection Multimeter

SKU: UT39E+

Measures AC/DC current & voltage, resistance, capacitance, frequency & test diodes.



Uni-T UT136C+ Digital Multimeter

SKU: UT136C+

4 times/second sampling rate provides users with more accurate readings.



Uni-T UT105 Automotive Multimeter

SKU: UT105

For DC current, AC/DC voltage, resistance, tach & dwell measurement.



Uni-T UT107 Automotive Multimeter

SKU: UT107

Automotive multimeter helps diagnose problems in an automobile.



Uni-T UT139S True RMS Multimeter

SKU: UT139S

Its NCV feature can check electrical status through measuring EM field intensity.



Uni-T UT17B-PRO Multimeter

SKU: UT17B-PRO

CAT III 1000V/CAT IV 600V ratings it is equipped with a built-in VFC.



Uni-T 195 Series Industrial Multimeters

For motor driver, factory equipment maintenance and electrical distribution.

• **UT195E** • **UT195M** • **UT195DS**



Uni-T UT61D+ 1000V True RMS Digital Multimeter

SKU: UT61D+

Reliable true RMS multimeter with audible & visible alarm and display count of 6000.



Uni-T UT181A True RMS Data-logging Multimeter

SKU: UT181A

Powerful multimeter with features, trend capture & dual temperature measurement.



Uni-T UT892 2000V AC/DC High Voltage Digital Multimeter

SKU: UT892

Provides AC/DC voltage measurement up to 2000V with full range overload protection.



Uni-T UT171C Industrial True RMS Digital Multimeter

SKU: UT171C

Industrial-grade multimeter used by professionals with USB/Bluetooth communication.



Uni-T UT196 1700V DC True RMS Professional Multimeter - Solar Pro

SKU: UT196

With 1700V DC, 1500Vrms AC overload protection and tested for safe usage in CAT III 1000V & CAT IV 600V environments.

Clamp Meters



Uni-T UT208B True RMS Clamp Meter

SKU: UT208B

High precision temperature measurement with 0.1°C resolution.



Uni-T UT213C True RMS Clamp Meter

SKU: UT213C

Measure AC and DC voltage, AC and DC current, resistance, capacitance, frequency and temperature



Uni-T UT216C True RMS Clamp Meter

SKU: UT216C

Measuring high-frequency currents (upto 400Hz) in railways & aerospace, server rooms & IT systems.



Uni-T UT219 Professional Clamp Meter

A 600A True RMS clamp meter with CAT IV 600V and IP54 rating.

• **UT219E** • **UT219M** • **UT219DS**



Uni-T UT210 True RMS Clamp Meters

UT210 series mini clamp meters are designed to work well in limited space environments.

• **UT210D** • **UT210E**

Leakage Clamp Meters



Uni-T UT251C Leakage Current Clamp Meter

SKU: UT251C

High-accuracy high sensitivity leakage current clamp meters are designed for testing AC leakage current.



Uni-T UT258A AC/DC Leakage Clamp Meter

SKU: UT258A

Measures 0mA~60A AC/DC leakage current with zero mode, $\varnothing$ 7mm jaw and RS-232 interface.

Insulation Testers



Uni-T UT501 1000V Insulation Resistance Testers

Insulation resistance measurement for various kinds of electric equipment.

• UT501A • UT501B • UT502A



Uni-T UT593AU Multifunction RCD Loop Tester

SKU: UT593AU

For RCD, line/loop impedance continuity, insulation resistance, DC & AC voltage.



Uni-T UT516B High Voltage Insulation Tester

SKU: UT516B

Insulation resistance tester with 6 ranges: 500V, 1000V, 2500V, 5000V, 10000V and 12000V.



Uni-T UT513 Series Insulation Testers

Designed with multiple ranges including 250V, 500V, 1000V, 2500V.

• UT513A • UT513B • UT513C



Uni-T UT528AU Insulation Resistance Tester

SKU: UT528AU

Conducts test on Class I & Class II appliances & extension leads.



Uni-T UT533 Insulation Resistance Multimeter

SKU: UT533

Designed for measuring insulation resistance, AC/DC voltage/current, resistance, capacitance, frequency, and temperature.



Uni-T UT512D/E 2.5kV Insulation Resistance Testers

Designed with multiple ranges including 250V, 500V, 1000V, 2500V.

• UT512D • UT512E

Vibration Tester



Uni-T UT315A Vibration Tester

SKU: UT315A

Can measure displacement, velocity, and acceleration of rotating and reciprocating machinery.

Voltage Transformer



Uni-T UT225A/B Wireless High Voltage Transformer Turns Ratio Testers

Suitable for efficient on-site evaluation of current transformers in metering setups.

• UT225A • UT225B

High Voltage Clamp Ammeters



Uni-T UT255 High Voltage Clamp Ammeters

Measure up to 69kV high voltage line current and leakage current.

• UT255A • UT255B

LCR Meters



Uni-T UT612 LCR Meter

SKU: UT612

Used to measure inductance, capacitance and resistance.

Fork Meters



Uni-T UT256 60A AC/DC Fork Meter

CAT III 600V auto-ranging True RMS fork meter that measures 60A AC/DC current.

• UT256 • UT256B

Solar Meters



Uni-T UT673PV Solar MPPT Meter

SKU: UT673PV

Identify abnormalities in solar panels by testing maximum power, peak power voltage & current, open circuit voltage, and short circuit current.



Uni-T UT196 1700V DC True RMS Professional Multimeter - Solar Pro

SKU: UT196

UT196 solar digital multimeter is designed with 1700V DC, 1500Vrms AC overload protection and tested for safe usage in CAT III 1000V, CAT IV 600V environments. & current, open circuit voltage, and short circuit current.



Uni-T UT261A/B Phase Sequence & Motor Rotation Indicators

Measures sound noise level and outputs results in db, A or C weighted modes.

• UT261A • UT261B

Laser Levels



Uni-T LM570LD-II Laser Level SKU: LM570LD-II

Equipped with green LD laser suitable for large or bright workplaces.

Wall Scanners



Uni-T UT387A Wall Scanner SKU: UT387A

For construction and home improvement sector to find objects, wires behind walls.



Uni-T UT387D Wall Scanner SKU: UT387D

Enable you to detect electric wire, metal objects, and wooden beams accurately.

Infrared Thermometers



Uni-T UT300S Non Contact Infrared Thermometer -32°C~400°C SKU: UT300S

Accurate, lightweight infrared thermometer with a measuring point-size ratio of 10:1.



Uni-T UT306A Mini IR Infrared Thermometer -35°C~300°C SKU: UT306A

With D:S ratio 6:01 suitable for quick precise indoor measurements.



Uni-T UT305S Professional Infrared Thermometer -32°C~2000°C SKU: UT305S

Designed with a 50:1 D:S ratio for accurate measurement of long-range temperatures.



Uni-T UT305C+ Infrared Thermometer -50°C~2200°C SKU: UT305C+

High-precision, high-distance ratio (55:1), wide temperature range (-50°C~2200°C) non-contact infrared thermometer.



Uni-T UT302A+ Non Contact Infrared Thermometer -32°C~700°C SKU: UT302A+

Professional colour LDF non-contact infrared laser thermometer with 20:1 D:S ratio.



Uni-T UT309C Professional Dual Laser Infrared Thermometer -35°C~650°C SKU: UT309C

With a 12:01 D:S ratio surface temperature through the energy radiated by the target surface.



Uni-T UT303D+ Infrared Thermometer -32°C~1300°C SKU: UT303D+

A 30:1 D:S ratio. Precisely target objects within 250ms with single spot laser.

Solar Irradiance Meters



Uni-T UT381PV Solar Irradiance Meter SKU: UT381PV

The UT381PV Solar Irradiance Meter measures solar irradiance, panel temperature, tilt, and azimuth for photovoltaic installation, maintenance, and testing.

Pipeline Blockage Detectors



Uni-T UT661D Pipeline Blockage Detector SKU: UT661D

Quickly locate blockages, clogging inside pipelines from a distance of 50cm.

Laser Distance Meters



Uni-T LM50A Laser Distance Meter SKU: LM50A

Easily and accurately measure length, area and volume by pressing one button.



Uni-T LM100A Laser Distance Meter SKU: LM100A

Easily and accurately measure length, area and volume by pressing one button.

Thickness Gauges



Uni-T UT343D Coating Thickness Gauge SKU: UT343D

Measure coating thickness on ferrous & non-ferrous materials.

Battery Testers



Uni-T UT675A Battery Tester SKU: UT675A

Used to analyze the battery health of automobile batteries, suitable for battery capacities from 30Ah to 200Ah.



Uni-T UT677A Battery Internal Resistance Tester SKU: UT677A

Measure the internal resistance, voltage, and temperature of rechargeable batteries.

Wall Trackers



Uni-T UT683KIT Wire Tracker SKU: UT683KIT

Can automatically identify open, short, polarity, and quickly distinguish cable failure.



Uni-T UT682 Wire Tracker SKU: UT682

It is able to track ethernet/telephone/power cables without opening their insulation.



Uni-T UT685B-KIT Cable Tester SKU: UT685B-KIT

Find the cable, detect the cable length, and line sequence.

Contact Type Thermometers



Uni-T UT320D Mini Contact Type Thermometer

SKU: UT320D

Double channel contact type thermometer with a temperature range of -50°C-1300°C.

Temperature Data Loggers



Uni-T UT330 USB Temperature Datalogger

USB dataloggers uses temperature and humidity sensors for long period monitoring and recording.

• **UT330T** • **UT330TH**

Process Calibrators



Uni-T Multifunction Process Calibrator

	Uni-T UT714	Uni-T UT715	Uni-T UT725
Measurement Functions	Voltage, Resistance, Thermocouple, RTD	Voltage, Current, Loop Current, Frequency	Voltage, Current, Loop Current, Resistance, Frequency, Thermocouple,

Thermal Imagers



Uni-T UTi712S Value Thermal Camera (-20°C~400°C)

SKU: UTi712S

Wh temperature compensation feature allowing more accurate reading.



Uni-T UTi32 High Temperature Thermal Camera (-20°C~1000°C)

SKU: UTi32

Designed for higher temperature applications, such as: iron forging, glassware & porcelain production, etc.



Uni-T UTi260B Thermal Imager (-15°C~550°C)

SKU: UTi260B

Combines surface temperature measurements with real time thermal images



Uni-T UTi730E Enhanced Thermal Camera (-20°C~550°C)

SKU: UTi730E

Clearly display 320x240 thermal resolution 2MP visual camera.



Uni-T UTi384G Enhanced Thermal Camera (-20°C~550°C)

SKU: UTi384G

Specially designed for industrial use with high IR resolution 384x288.



Uni-T UTi720E Thermal Imager (-20°C~550°C)

SKU: UTi720E

Its large 3.5" IPS display screen can clearly display 256x192 thermal resolution 2MP visual camera.



Uni-T UTi740H Enhanced Thermal Camera (-30°C~650°C)

SKU: UTi740H

4.3" IPS display screen can clearly display 384x288 IR resolution and 5MP digital camera.



Uni-T UTi256G Enhanced Thermal Camera (-20°C~550°C)

SKU: UTi256G

Designed for industrial use with high IR resolution 256x192 and wide temperature range:-20°C~550°C.

Acoustic Imagers



Uni-T UT568A Acoustic Imager

SKU: UT568A

Dynamically displays changing data related to the distribution of sound sources on the screen.

Borescopes



Uni-T UT665 Borescope

SKU: UT665

Its flexible camera probe provides clear images, making it perfect for checking car engines, pipes, walls, and drains

Phase Detectors



Uni-T UT262E Non-Contact Phase Detector

SKU: UT262E

UT262E is a non-contact phase detector designed in a clamp-type configuration

Radiation Testers




Uni-T UT334A Radiation Dose Tester

SKU: UT334A

High sensitive GM counter sensor, combined Beta, Gamma, and X-ray radiation detection.

Huddleston

WHOLESALE LOGIN PORTAL



Is an item in stock?
What is my buy price?

Log in today with your branch email and check stock,
create a quote and more.

huddleston.com.au/distributorportal/



Huddleston Australia

Our mission: Connecting Australian businesses with recognised global HVAC/R
+ electrical manufacturers with great service and support, every day.

Sales

Telephone: +61 (0)8 7077 4600
E-mail: info@huddleston.com.au

Head Office

Address: 12 Burdon Street
Dudley Park SA 5008
Australia

huddleston.com.au