

eL-520

Refrigerant Gas Leak Detector

The AccuTools® eL-520 Refrigerant Gas Leak Detector is the most technologically advanced of its kind.

The fully automatic eL-520's low power requirements, small size and high sensitivity combine to create a tool which is easy to handle and ultra effective at locating even the most difficult-to-find leaks.

Fully SAE J1627 compliant, the eL-520 will detect leaks as small as 0.1 oz/yr (3g/year) in R12, R22, R134a and other halogenated refrigerant systems.

Features

- Lightweight, ergonomic design
- Simple, one button operation
- Two sensitivity modes, enabling quick and easy location of large and small leaks
- Sturdy blow-molded carrying case
- Both visual and audible leak detection signal
- Low battery indicator
- Automatic power-off to conserve battery life
- Extra sensor storage
- Includes two sensors

Dimensions	7.25" x 2.25" x 1.5" (19 cm x 5.7 cm x 3.8 cm)
Weight	7 oz (190 g)
Batteries	2 x 1.5V 'AA' Alkaline Batteries (3VDC)
Battery Life	40 Hours
Sensitivity	< 3 g / year (0.1 oz / year)
Sensor Lifetime	Approximately 30 Hours
Operating Temperature	32 – 122°F (0 – 50°C)
Warm-up Time	< 2 sec.
Response Time	Instantaneous
Reset Time	Instantaneous
Probe Length	12" (30 cm)

