



SCAN & DOWNLOAD LATEST CATALOGUE



# Huddleston

Professional Tools That Work

Version - December 2023

# PRODUCT CATALOGUE



[huddleston.com.au](http://huddleston.com.au)



Huddleston was founded in 2016 with the mission to provide professionals with a wider range of premium quality tools with a focus on the HVAC/R market. While the first few years were simply a lot of hard work, we discovered that many international brands were not widely available and while our reputation developed for being locally based our relationships with wholesalers grew enabling us to quickly expand our product range quickly bring on additional top selling brands.

Our merger with CoolTools Australia enabled us to create a trans-Tasman distributor encompassing some very well-known brands under a one stop solution to wholesalers, most recently Bosch and Robinair brands.

Our commitment to providing quality products with 5 star service and support has made Huddleston a familiar name for many end users and national wholesalers.

Today Huddleston stocks 1000+ product SKU's available directly from our Adelaide (South Australia) or Auckland (New Zealand) warehouses covering a wide range of Air Conditioning & Refrigeration Tools, Test and Measurement Equipment, Thermal Imaging, Tube Working Tools and other premium products.

Huddleston - Professional Tools That Work.



Robinair Vacuum Pumps	4	Fin Straightening Tools	26
CoolTech Vacuum Pumps	4	Inspection Work Lights	26
Recovery Units	5	Sure Seal Adapters	27
Evacuation Hoses & Kits	6	Valve Cores and Valve Tools	27
2 Valve Manifolds	7	Service Kits	27
4 Valve Manifolds	7	CRT Accessories	27
Refrigeration Charging Hoses	7	Valve Core Removal Tools	28
Digital Vacuum Gauges	8	Core Depressors	28
Nitrogen Regulators	9	Brass Adaptors	29
Refrigerant Scales	9	Couplers	29
Handheld Leak Detectors	10	KWIK Tite Ratchets	29
Condensate Pumps	12	Access Fittings	30
Condensate Drain Guns	12	Self Piercing Saddle	30
Coil Cleaning Systems	13	Piercing Valves	30
AC Cleaning Bags & Kits	14	Refrigerant Recovery Tools	31
A/C Cleaning Products	15	Liquid Refrigerant Chargers	31
Specialised Cleaning Products	15	Valve Caps	31
Anti Corrosion Treatments	15	Magnetic Nut Drivers	32
Flushing Agents	16	Screw Drivers	32
Drain Cleaners	16	Utility Knives	32
AC System Dyes	17	Tool Bags	33
Automotive System Dyes	17	Refrigeraton Lubricants	34
Leak Detection Accessories	17	Vacuum Pump Oils	35
Leak Detection Bubbles	17	Voltage & Continuity Testers	36
Leak Sealants	18	Digital Multimeters	37
AC System Additives/Enhancers	18	Flex Clamp Meters	39
Super Dry Anti Moisture	18	Clamp Meters	40
External Sealer	19	Temperature Meters & Data Loggers	42
Super Seal	19	Environmental Testers	43
Deburrer & Reamer Tools	20	Insulation Testers	44
Brazing Tools	20	Laser Level	45
Blower Wheel Puller Kit	20	Laser Meters	45
Small Tube Cutters	21	Laser Power Meters	45
Full Sized Tube Cutters	21	Wall Scanners	45
Large Sized Tube Cutters	21	Pipeline Blockage Detectors	46
Flaring	22	Process Calibrators	46
Swaging Punches	22	Thickness Gauges	46
Tube Expanders	22	Wire Tracker	46
Spin Flaring & Swaging Tools	23	Infrared Thermometers	47
Rol Air Flaring Tools	23	Contact Type Thermometer	47
Tube Benders	24	Thermal Imagers	48
CrossBow Benders	24		
Lever Benders	24		
Spring Benders	24		
Torque Wrenches	25		
Inspection Mirrors	25		
Service Wrenches	25		

## Robinair Vacuum Pumps



Robinair VacuMaster vacuum pumps feature a two-stage design for maximum moisture removal and leading to a deeper ultimate vacuum level.

- 2-stage rotary vane design
- Heavy-duty motor
- Angled oil drain valve
- Easy view sight glass

	<b>RA-15301A-A</b>	<b>RA-15501A-A</b>	<b>RA-15801A-A</b>	<b>RA-15501A-A-A2L</b>
Capacity	84 L/min	128 L/min	226 L/min	128 L/min
Vacuum Level	15 micron (2 pa)	15 micron (2 pa)	15 micron (2 pa)	15 micron (2 pa)
Motor	450 Watt	500 Watt	650 Watt	500 Watt
Voltage	230/115 V-50Hz	230/115 V-50Hz	230/115 V-50Hz	230 V-50Hz
Oil Capacity	450ml	500ml	700ml	500ml
Dimension	335x140x255mm	335x140x255mm	376x157x270mm	340x1570x270mm
Weight	9.5kg	10.2kg	13.9kg	10.2kg

## CoolTech Vacuum Pumps



Cooltech High Performance Robinair Vacuum Pump with a heavy duty 1/2 hp motor. Designed for larger industrial systems, the CoolTech offers unparalleled performance and reliability.

- 2-stage rotary vane design
- 1/2 HP, 240V thermally protected motor
- Iso-Valve isolates the pump from the system
- 1/4 and 3/8 sae male flare inlet fittings

	<b>RA-15401</b>	<b>RA-15601</b>	<b>RA-15121A</b>
Capacity	93 L/min	142 L/min	236 L/min
Vacuum Level	20 micron (2.67 pa)	20 micron (2.67 pa)	20 micron (2.67 pa)
Motor	244 Watt	366 Watt	366 Watt
Voltage	230/115 V-50/60Hz	230/115 V-50/60Hz	230/115 V-50/60Hz
Oil Capacity	445ml	445ml	488ml
Dimension	247x143x420mm	247x143x420mm	272x143x445mm
Weight	12kg	12kg	17kg

# Recovery Units



## Promax RG3000-A Refrigerant Recovery Unit

SKU: PM-RG3000-A

- Weighs only 8 kg
- Volumetric size is just 50 % of our previous smallest unit
- Recovers all commonly used CFC, HCFC and HFC refrigerants, including A2L like R32 or R1234yF
- High-Pressure Safety cut-off switch 550 psi
- Simple 2 valve controls



## Promax MINIMAX-A High Pressure Recovery Unit

SKU: PM-MINIMAX-A

- Recovers all commonly used CFC, HFC, HCFC refrigerants including A2L like R32 or R1234yF
- Minimum size - maximum performance; ideal for residential and appliance service
- Proprietary "oil-less" compressor capable of handling both liquid and vapour refrigerants
- Designed for use with high-pressure refrigerants
- 550 psi safety cut-off switch



## Promax RG5410A-A Refrigerant Recovery Unit

SKU: PM-RG5410A-A

- Recovers all commonly used CFC, HFC, and HCFC refrigerants including A2L like R32 or R1234yF
- High-Pressure safety "cut off" switch 38,5 bar (550 psi)
- 3/8" - 3-row Condensor for maximum performance in even the hardest conditions
- New Generation Compressor, new valves and piston
- Field serviceable semi-hermetic compressor



## Promax RG6-A Twin Cylinder Refrigerant Recovery Unit

SKU: PM-RG6-A

- Recovers all commonly used CFC, HCFC and HFC refrigerants, including A2L like R32 or R1234yF
- Twin cylinder Oil-less compressor
- 1 HP / 735 W direct drive motor
- High-Pressure Safety cut-off switch
- Self Purge feature included



## Bosch RG 4.0 Certified A2L A3 Recovery Unit

SKU: BOS-RG4.0

- Recovers all commonly used CFC, HFC, HCFC refrigerants
- Suitable for A2L refrigerants such as R32, and A3 Gases R290 R600
- Oil-free compressor suitable for liquid and vapour
- Fully automatic high and low pressure reset

# Evacuation Hoses & Kits



## Imperial 3/8 Vacuum Hoses

Use directly with your 4-Valve Manifold or Vacuum Pump. Connection 3/8" swivel ends with eight-crimp ferrules. Available in yellow only.

- **IMP-536FTY** 3/8" Evacuation Hose 90cm
- **IMP-560FTY** 3/8" Vacuum Hose 150cm



## Hilmor 3/8 Vacuum Hoses

Each is rated for 800 PSI working pressure, which means they can handle the newest high-pressure refrigerants. Available in black only.

- **HIL-1839154** 3/8" Vacuum Hose 90cm
- **HIL-1839159** 3/8" Vacuum Hose 150cm



## AccuTools 3/4 TruBlu Hoses

TruBlu hose has a 3/4" internal diameter delivering 16 CFM of conductance speed at 1,000 microns.

- **AT-SA10739MM-1.0** 1 Meter Hose
- **AT-SA10739M1.5** 1.5 Meter Hose
- **AT-SA10739MM-2.0** 2.0 Meter Hose
- **AT-SA10739MM-2.5** 2.5 Meter Hose



## AccuTools TruBlu Starter Evacuation Kits

Evacuate 80x faster than 1/4" I.D. hoses and up to 6x faster than other vacuum rated hoses on the market today.

- **AT-A10757-4MS** Starter Evacuation Kit with 1m hose
- **AT-A10757-4MSXL** Starter XL Evacuation Kit with 1.5m hose



## AccuTools TruBlu Evacuation Kits with Cases

Evacuate 80x faster than 1/4" I.D. hoses and up to 6x faster than other vacuum rated hoses on the market today.

- **AT-A10757-3** Professional Evacuation Kit with 2 x 1m hoses
- **AT-A10757-2** Advanced Evacuation Kit with 3 x 1m hoses

## 2 Valve Manifolds



### **Robinair RA-41132E90C 2-Way Analog Manifold R32/410A With 90cm Hoses** **SKU: RA-41132E90C-HU**

Piston-type seat ensures positive shut-off with minimal force. Double o-ring seal ensures leak free operation.



### **Imperial 581CKPSC 2-Valve / 4-Port Manifold for R22, R404A, R134A** **SKU: IMP-581CKPSC**

2 Auxiliary Valve Ports - Allows multiple hook-ups for vacuum gauge, vacuum pump, recovery unit, oil injection, and add-ons.

## 4 Valve Manifolds



### **Imperial 681CKPSC 4-Valve Manifold For R134A R22 R404** **SKU: IMP-681CKPSC**

Suitable for R22, R134A and R404A refrigerants, the Imperial 600 series service manifold consists of an anodised aluminium body, which is aircraft grade, with low and high side gauges,



### **Hilmor HIL-1839111 4-Valve Aluminium Manifold 4V410 R410A** **SKU: HIL-1839111**

Convenient to use and leak-resistant, this comes with replaceable stainless steel valve seats, SAE-style O-ring and a securely seated large sight glass

## Refrigeration Charging Hoses



### **Imperial 803MRS 36" Hose Set 1/4" SAE Fittings** **SKU: IMP-803MRS**

PolarShield 90cm (36") Hose Set of 3 With 1/4" SAE Fittings.



### **Imperial 805MRS Set of 3 1/4" Hoses 60"** **SKU: IMP-805MRS**

PolarShield 150cm (60") Hose Set of 3 With 1/4" SAE Fittings.



### **Imperial 213MRS PolarShield Charging Hose 36"** **SKU: IMP-213MRS**

PolarShield 90cm (36") Hose Set with Blue, Red - 1/4" x 5/16" SAE Fittings, Yellow - 1/4" x 1/4" SAE Fittings.



### **Imperial 215MRS PolarShield Charging Hoses 60"** **SKU: IMP-215MRS**

PolarShield 150cm (60") Hose Set with Blue, Red - 1/4" x 5/16" SAE Fittings, Yellow - 1/4" x 1/4" SAE Fittings.



### **Robinair RA-410Q36S Charging Hoses 36"** **SKU: RA-410Q36S**

Robinair 90cm (36") Hose Set with Blue, Red - 1/4" x 45° 5/16" SAE Fittings, Yellow - 1/4" x 45° 1/4" SAE Fittings.



### **Imperial 950 Series Polarshield Ball Valve Hoses**

Hi-Performance Polarshield Charging Hose with 1/4" Automatic Low Loss Ball Valve Shut-Off

- **IMP-953MRS** 36" 1/4 SAE hose set (R,Y,B) with ball valves
- **IMP-956MRS** 72" 1/4 SAE hose set (R,Y,B) with ball valves

# Digital Vacuum Gauges



## Hilmor CVG1200 Compact Vacuum Gauge

SKU: HIL-CVG1200

- Backlit LCD makes reading in the dark easy
- Protective case keeps the gauge safe and quick to grab
- Accuracy 1 - 1000 microns 10% ±10 microns (1 to 1,000microns) at 25c



## Hilmor 1950217 Wireless Vacuum Gauge

SKU: HIL-1950217

- LED backlit screen for easy to read display
- 80 hour battery life for Remote Sensor and Handheld.
- +/- 5% of Reading | +/- 10 microns



## Accutools µBluVac Digital Micron Gauge

SKU: AT-A10673

- Oil Sensor Indicator, Self- Calibration Test, Easy Calibration
- 0 to 25,000-micron range with 1-micron resolution
- Measures vacuum in microns, pascals, millibar, mmHg, and torr



## Accutools BluVac+ Micro Wireless Digital Micron Gauge

SKU: AT-A10730

- Oil Sensor Indicator, Self- Calibration Test, Easy Calibration
- 0 to 25,000-micron range with 1-micron resolution
- Measures vacuum in microns, pascals, millibar, mmHg, and torr

App Store (iOS)



[Scan or Click Here](#)

Google Play (Android)



[Scan or Click Here](#)



## Accutools BluVac+ Pro Wireless Digital Vacuum Gauge

SKU: AT-A10702

- Oil Sensor Indicator, Self- Calibration Test, Easy Calibration
- 0 to 25,000-micron range with 1-micron resolution
- Measures vacuum in microns, pascals, millibar, mmHg, and torr
- Evacuation Timer & Rise Time Analyzer

App Store (iOS)



[Scan or Click Here](#)

Google Play (Android)



[Scan or Click Here](#)



# Nitrogen Regulators



## Bradley NR1000 High Pressure Nitrogen Regulator SKU: BRA-NR1000

- Single stage construction
- Inlet Fitting: Type 50 Connector
- Outlet Fitting: Male 1/4" SAE
- Working Pressure: 0-800 psi
- Complies with AS 4267-1995



## Hilmor HMNPT01 Nitrogen Purge Tool SKU: HIL-HMNPT01

- Designed to regulate flow with 50 psi inlet pressure
- Maximum pressure of 200 psi
- No flow indicator valve needed
- Purge setting = 25-35 scfh @ 50 PSI
- Braze setting = 3-6 scfh @ 50 PSI

# Refrigerant Scales



## Hilmor RSW220 Wired Refrigerant Scale SKU: HIL-RSW220

- 100 KG Capacity
- 5 gram resolution
- Backlit - LED display
- Long battery life
- Auto shut off



## Hilmor RSWL220 Wireless Refrigerant Scale SKU: HIL-RSWL220

- 5 Gram Resolution
- 100 Kg Capacity
- Backlit Display
- Long Range 40 meters
- Robust 18" x 14" base.



## Bosch CS 2.0 Charging Scales SKU: BOS-CS2.0

- 120 KG Capacity
- Bluetooth Connectivity and Bosch App
- Large 350mm diameter
- 2 gram resolution up to 50 kg
- Re-chargeable battery via USB Micro



## TIF 9030 Refrigerant Scale SKU: TIF-9030

- Compact Design
- Range of up to 100kg
- Display weight in kg, oz, lbs
- Extremely durable
- Resolution 10g

# Handheld Leak Detectors



## Inficon TEK-Mate Refrigerant Leak Detector

SKU: INF-705-202-CN41

- Sensitivity of 2 g/year R134 and 5 grams/yr with R410a
- Detects CFCs, HCFCs, HFCs, and HFOs
- No false alarms from soap solutions (no exaggerated chlorine response)
- Runs on 2 "D" cell batteries
- Heated diode sensor technology



## Inficon Gas-Mate Combustible Gas Leak Detector

SKU: INF-718-202-G41

- Sensitive to 5 ppm methane
- Designed for flammable refrigerants like R290, R600a, and R441a
- Certified intrinsically safe
- Detects natural gas, forming gas, propane, butane, cyclopentane, ethane, ethanol, isobutane and ammonia. Detects forming gas (95% nitrogen, 5% hydrogen)



## Inficon Whisper Ultrasonic Leak Detector

Whisper is ideal for detecting and locating ultrasonic frequencies

- Detects pressure and vacuum leaks for all gases
- Works perfectly in noisy environments
- **INF-724-701-G1** Whisper Ultrasonic Leak Detector
- **INF-724-702-G2** Whisper Ultrasonic Leak Detector With Accessory Kit



## Inficon D-TEK 3 Refrigerant Leak Detector

SKU: INF-721-202-CN41

- Detects all CFCs, HCFCs, HFCs, HFOs, Low, Medium, High, and Super sensitivity settings
- Optional CO2 and Combustible Sensors, easily interchangeable.

Replacement Sensors

- **INF-724-701-G1** Replacement Sensor D-Tek Stratus
- **INF-724-701-G2** Replacement Sensor D-Tek Stratus CO2
- **INF-724-701-G3** Replacement Flammable Refrigerant Sensor



## Inficon D-TEK Stratus Refrigerant Leak Detector

SKU: INF-724-202-CN41

- Sensitivity of 1 g/year
- Detects all CFCs, HCFCs, HFCs, and HFOs.
- Cloud hunter and pinpoint modes are like having two leak detectors in one
- Optional CO2 and Combustible Sensors, easily interchangeable.

# Handheld Leak Detectors



## Bosch CS-LD1.0 Leak Detector

SKU: BOS-CS-LD1.0

- Ultimate Sensitivity of less than 1 g/yr
- CFC, HCFC, HFC, HFO: R32, R134a, R1234yf, R454A
- HC: R290, R600, R600a
- Tracer Gas: 95%N2/5%H2
- Ammonia: NH3



## Bosch IR-LD1.0 Infrared Carbon Dioxide Leak Detector

SKU: BOS-IR-LD1.0

- Ultimate Sensitivity of less than 2 g/yr
- Infrared sensor technology
- Large 61mm LCD screen
- 3 Sensitivity levels
- USB Micro rechargeable
- IP51 Rating



## Accutools eL-520 Refrigerant Leak Detector

SKU: AT-A10211

- Ultimate Sensitivity of less than < 3g/year
- Detects all HFC, CFC and HCFC refrigerants
- Lightweight, ergonomic design
- Simple, one-button operation
- Long life Operation - 2x AA Batteries



## Accutools eL-320 Combustible Gas Leak Detector

SKU: AT-A10212

- Ultimate Sensitivity Less than 50 ppm (Propane, Iso-Butane, Methane)
- Two sensitivity modes
- Simple, one-button operation
- UL Classified for Class I, Div. 2 groups A, B, C & D hazardous locations
- Long life Operation - 2 x AA Batteries



## Accutools eL-720 Carbon Dioxide Gas Leak Detector

SKU: AT-A10302

- Ultimate Sensitivity : High - Less than 400 ppm over ambient (Low 4000 ppm)
- Lightweight, ergonomic design
- Simple, one-button operation
- Both visual and audible leak detection signal
- Long life Operation - 4 x AA Batteries

# Condensate Pumps



## DiversiTech WHISPA-Q-MINI Condensate Pump

SKU: DT-WQM

- 35 ml reservoir capacity
- Max Flow Rate 16 Litres Per Hour
- Max. Head: 8m
- Decibel Rating 21 dB



## DiversiTech WHISPA-Q-TANK - 1 Litre Condensate Tank Pump

SKU: DT-WQT1L

- 0.6L reservoir capacity
- Max Flow Rate 14 Litres Per Hour
- Max. Head: 6m - continuous lift rate
- Decibel Rating- 19 dBA, Ultra quiet



## DiversiTech WHISPA-Q-TANK 2L Condensate Pump

SKU: DT-WQT2L

- 2.2L reservoir capacity
- Max Flow Rate 14 Litres Per Hour
- Max. Head: 6m - continuous lift rate
- Decibel Rating- 19 dBA, Ultra quiet



## DiversiTech Redbox CP-22-230 2 Litre Tank Pump

SKU: DT-CP-22-230

- Flow rate: 280 LPH
- Reservoir Capacity: 2 Litres
- Discharge head: 6.7 metres



## DiversiTech Redbox CP-22LP-230 1 Litre Condensate Pump

SKU: DT-CP-22LP-230

- Flow Rate: 280 LPH
- Reservoir Capacity: 1 Litres
- Discharge head: 5.1 metres

# Condensate Drain Guns



## DiversiTech GG1 Drain Gun

SKU: DT-GG1

- Clears condensate lines instantly
- Instant 800 PSI SWOOSH
- 15 Gram Co2 Cartridge



## DiversiTech SG1 Big Shot Drain Gun

SKU: DT-SG1

- 25% more capacity than the GG1
- Instant 800 PSI SWOOSH
- 20 Gram Co2 Cartridge



## DiversiTech SG2 Swoosh Drain Gun Double Shot Kit

SKU: DT-SG2

- 2.5x the capacity of the SG1
- Instant 800 PSI SWOOSH
- Two x 20 Grams Co2 Cartridge

# Coil Cleaning Systems



## SpeedClean SC-CS-100 CoilShot Condenser Cleaner Tool

**SKU: SC-CS-100**

CoilShot condenser cleaner tool and tablet system make cleaning condenser coils faster and easier than ever before.

- 1-2 tablets per cleaning
- Attaches to a standard garden hose
- Wand available.



## SpeedClean CJ-125 CoilJet HVAC Coil Cleaner Battery Powered

Clean HVAC coils the fast way. The CJ-125 CoilJet® from SpeedClean is a complete portable battery powered 12 volt AC coil cleaning system.

- Powerful 125 psi
- 2.25 L per minute
- 3 metre self-coiling hose
- **SC-CJ-125-AU** CoilJet HVAC Coil Cleaner with 10 foot hose (3m)
- **SC-CJ-125-LH-AU** CoilJet HVAC Coil Cleaner with 20 foot hose (6m)



## SpeedClean CoilJet CJ-200E HVAC Coil Cleaner System

**SKU: SC-CJ-200E-AU**

CoilJet® CJ-200E is compact, easy-to-use and cleans HVAC coils fast.

- Powerful 220 psi
- Continuous Water Connection
- 6 Meter self-coiling hose
- Spray gun with quick disconnect
- Power Rating 240V 50Hz Australian Power Cord (4.5m)



## SpeedClean SC-FCC-1 SpeedyFoam Condenser Coil Cleaner 1 Gallon

**SKU: SC-FCC-1**

- 1 Gallon / 3.8 Litres
- Acid-free alkaline coil cleaner
- Fresh clean scent
- Non-caustic
- FOoaming micro bubble action helps lift dirt and grime.

# AC Cleaning Bags & Kits



## SpeedClean Bib Kit

Mini-Split Bib Kit is the fastest way to clean ductless mini-split coils, blower wheels and inside equipment, vacuum level.

- Strong 4-6 mil plastic bib sonic welded seams
- 100% Reusable
- Various Sizes

- **SC-SC-CB** Cassette Bib with Bungees and Bucket
- **SC-MSB-KIT** Mini-Split Bib Kit
- **SC-MSB-KIT-XL** Mini-Split Bib Kit XL
- **SC-MSB-01** Mini-Split Bib Kit Replacement Bib



## Hilmor HLC007 Refrigerant Lineset Cleaner

SKU: HIL-HLC007

The Hilmor Lineset Cleaner uses a pressurized source to launch the carefully selected specialized foam puck into the line set that effectively wipes the pipe clean of all contaminants and remaining refrigerants.

## A/C Cleaning Products



### ER- AB1089.01 - EVO Tabs Evaporator Purifying Cleaning Tablet

A single 20g tablet of Evo Tabs quickly dissolves in 5 litres of water. 18 Tabs Included.



### ER-AB1099.01 Emerald Tabs

Biodegradable Eco Draining Tabs prevents growth that blocks condensate drain pipes. 18 Tabs Included.



### ER-AB1090.01 Kino Tabs - Alkaline Cleaner for Condensers

KINO Tabs dilutes in 5 litres of water quickly to create an alkaline cleaner for condensers, able to remove severe dirt. 18 Tabs Included.



### ER-AB1102.01 Acid Tabs for Condensers

ACID TABS is an acid cleaner for condensers with degreasing and descaling effect. 18 Tabs included.



### ER-AB1049.J.01 Foam Cleaner For A/C System

Evaporator Cleaner Foam is a foamy cleaner for evaporators that cleans, refreshes and purifies the A/C system.



### ER-AB1063.YW.01 Power Clean Out

High Pressure Cleaner for Condensers in Aerosol Can. No need to rinse. 750ml.



### ER-AB1073.K.01 Luxedo

Luxedo is a regenerative scented treatment for indoor evaporators which removes organic residues and dirt. 200ml



### ER-AB1222.Q.S1 Acid Ultra

Powerful Acid cleaner for condensers. Dilute 1:20. 250 ml



### ER-AB1223.Q.S1 Alkaline Ultra

Powerful Alkaline cleaner for condensers. Dilute 1:20. 250 ml.



### ER-AB1225.Q.S1 Evo Ultra

Powerful neutral cleaner for condensers. Dilute 1:20. 250 ml.

## Specialised Cleaning Products



### ER-AB1086.K.S1 Apollo Solar Panel Cleaner

Alkaline-based liquid cleaning treatment for removing dirt that forms on solar panels. 1 Litre.



### ER-AB1066.P.01 No Odor 5L

Persistent odour treatment to be sprayed directly on surfaces. 1L.



### ER-AB1088.K.01 Woofi Pet Odor Remover

WOOFI is formulated to eliminate the smell of pets from interiors and surfaces. 1 Litre.

## Anti Corrosion Treatments



### ER-AB1100.K.01 No-Age Anti Corrosive Treatment

Spray on corrosion protection treatment. 1L.



### ER-AB1104.M.01 No Age Gelly

Universal Corrosion Protection Treatment Gel. 50ml.

# Flushing Agents



## Belnet Flushing Agent

BELNET AEROSOL is the fast solution to flush small refrigeration lines. 600ml.

- 100 psi
- Follow up with Nitrogen
- **ER-TR1009.U.M1** Belnet Flush Agent with 1/4 SAE Thread
- **ER-TR1009.U.M0** Belnet Flushing Agent with Rubber Cone



## Belnet Flushing Liquids

Belnet flushing liquid for all AC/R systems

- No residue
- Fast and complete evaporation
- **ER-TR1009.01** 1L Belnet Flushing Liquid
- **ER-TR1055.01** 5L Belnet Flushing Liquid



## Errecom AC/R Flushing Gun with 60cm Hose and Nozzle (Excludes Cannister)

SKU: ER-RP1027.01

- Easy to use
- 60cm hose
- 1.4" female ball valve
- 10 bar Safety Valve



## Errecom Safenet

High Evaporation Washing Liquid Not Inflammable – The Safe Option!

- Does not leave any kind of residue
- Evaporates very quickly and completely
- **ER-TR1187.K.01** SAFENET 1L Bottle
- **ER-TR1187.P.01** SAFENET 5L Bottle

# Drain Cleaners



## Errecom Unclog

SKU: ER-AB1079.K.01

- Professional Acid unblocker for clogged Drainst



## Errecom Flow

SKU: ER-AB1080.K.01

- Professional Alkaline Unblocker for Slow-running Drains



## Errecom Drizzle Drain Tube Cleaner

SKU: ER-AB1078.K.01

- Fast-acting and effective chemical product, formulated to remove dirt and clogging of condensate drains.



## AC System Dyes



### Errecom Brilliant UV Dye - Yellow

Brilliant is a fluorescent UV leak detector dye that provides safe, fast and precise detection of small refrigerants gas leaks from A/C and refrigeration systems.

- **ER-TR1058.A6.J7.P1** 12 x 7.5ml Cartridged
- **ER-TR1068.E.J5** 60ml



### Errecom Brilliant UV Dye - Red

Trace Brilliant is a highly concentrated red dye for safe, fast and precise detection of refrigerant gas leaks from A/C and refrigeration systems

- **ER-TR1133.A12.J5** 12 x 7.5ml Cartridged
- **ER-TR1133.E.J5** 60ml



### Errecom Brilliant UV Dye 250ml Bottle Yellow

**SKU: ER-TR1003.01.S1**

Errecom UV contrast solution (contrast): 250ML for checking the tightness of the air conditioning system

## Automotive System Dyes



### Errecom Brilliant Engine UV Dye

BRILLIANT ENGINE is a fluorescent UV dye designed to detect even the smallest leak in many parts and components of the vehicle's engine.

- **ER-TR1203.Q** - 250ml
- **ER-TR1203.K** - 1 Litre

## Leak Detection Accessories



### Errecom RK1235.R1 Brilliant HVACR Leak Detector Kit

**SKU: ER-RK1235.R1**

Includes 1 x Dye for Brilliant 250ml Dye TR1003.01.S1, 1 x Syringe 50ml. + hose, 1 x UV Flashlight and 1 x UV Goggles.



### Errecom Flexible Bright Torch

**SKU: ER-RK1267**

Flexible Bright Torch is a 5 LED UV lamp with two heads and flexible probe to locate refrigerant gas leaks even in the most difficult positions to light up



### Errecom ER-RK1294 Adjustable UV Focus Torch with Goggles

**SKU: ER-RK1294**

Adjustable focus bright torch is a 1 led UV-3W UV lamp to locate refrigerant gas leaks.



### Errecom Trace Brilliant Remover

**SKU: ER-TR1109.01**

Brilliant remover is a cleaner to remove any trace of leak detector dye. 100ml

## Leak Detection Bubbles



### Errecom Best Bubbles

**SKU: ER-TR1143.K.01**

Best Bubbles is a fast and easy solution to identify leaks in Refrigerant Lines and components of AC/R systems. 1 Litre



### Errecom Best Bubbles Fluorescent

**SKU: ER-TR1161.K.01**

Best Buddles Fluorescent is a fast and easy solution to identify leaks in refrigerant lines and components of AC/R systems, even in situations of limited visibility becoming fluorescent when exposed to UV light. 1 Litre.

# Leak Sealants



## Errecom Extreme Ultra Leak Stop 6ml

The ultimate refrigerant gas leak stop that repairs leaks up to 0.3mm in air conditioning and refrigeration systems. Visible under UV lamp. 1 cartridge treats up to 21 kWh.

- **ER-TR1163.AL.H3.S2** - 1/4 + 5/16 Fittings w/ Flex Tube (Carton Packaging)
- **ER-TR1163.AL.H3** - 1/4 + 5/16 Fittings / Flex Tube (Blister Packaging)
- **ER-TR1163.AL.J7** - Quick Coupler R134A for Automotive



## Errecom Extreme White Ultra 6ml

**SKU: ER-TR1176.AL.H4**

Extreme White Ultra repairs refrigerant leaks with R600 - R290 gas, without reacting with moisture and oxygen. Visible to any UV Lamp. 1 does per 200ml. compressor oil.

# AC System Additives/Enhancers



## Errecom Cool Shot Ultra 6ml

**SKU: ER-TR1170.AL.H3**

C is a synthetic catalyst to maintain or restore the efficiency of all AC/R Systems. Visible under UV lamp. 6ml treats up to 21 kWh.



## Errecom No Acid Ultra 6ml

**SKU: ER-TR1175.AL.H3**

Acid Neutralizer Additive for Air Conditioning and Refrigeration Systems. Universal does for any system.



## Errecom Super Dry Ultra

**SKU: ER-TR1174.AL.H3**

A dehydrating additive for preventing the creation of moisture in refrigeration and air conditioning systems.

# Super Dry Anti Moisture



## Errecom Super Dry

A dehydrating additive for preventing the creation of moisture in refrigeration and air conditioning systems.

### Super Dry 30ml

**SKU: ER-TR1132.C.J5**

Includes: 1 x Cartridge 30 ml (1.0 FL.OZ.) with with 1/4 & 5/16 SAE FLEX Adapters.

### Super Dry 42ml

**SKU: ER-TR1132.E.J5**

Includes: 1 x Cartridge 42 ml (1.5 FL.OZ.) with with 1/4 & 5/16 SAE FLEX Adapters.

### Super Dry 60ml

**SKU: ER-TR1132.E.J5**

Includes: 1 x Cartridge 60 ml (2.0 FL.OZ.) with with 1/4 & 5/16 SAE FLEX Adapters

# External Sealer



## Errecom TR1166.A.01 External Bicomponent Paste

SKU: ER-TR1166.01

External is a bicomponent paste leak stop applied externally on the components of AC/R Systems. It seals all the leakages up to 5 mm on metal and rubber components.



## Errecom TR1157.Y.01 SealUp Tube 50ml

SKU: ER-TR1157.01

SealUp is the professional choice to eliminate any leakage between the threads, the gaskets and the joints of A/C systems.



## Errecom TR1180.01 FixQuick

SKU: ER-TR1180.01

FixQuick is the new ultra-fast leak stop by Errecom, specifically formulated to repair in a maximum 30 seconds all leaks up to 1 mm in diameter on flat and curved surfaces.

# Super Seal



## DiversiTech Super Seal Advanced

Super Seal Sealant Advanced 2-in-1 eliminates moisture and seals to stop and prevents leaks. Super Seal Advanced installs quickly with no pump down or recovery.

- **DT-947KIT** - Up to 5KW
- **DT-944KIT** - 5-17KW
- **DT-948KIT** - 17+ KW



## DiversiTech DT-981 Super Change R22 Retrofit

SKU: DT-981

Super Change™ eliminates oil change outs replacing R22 line set conversion flushes.



## DiversiTech Dry R Moisture Eliminator

SKU: DT-973KIT

Dry R eliminates moisture and increases system efficiency. It also dissolves blockage and frees up TEVs - preventing acid and waxing formation.

## Deburrer & Reamer Tools



### Imperial 210FSP Tool

SKU: IMP-210FSP

Quality rotary style blade reaming and deburring for copper, steel, aluminum, zinc, cast iron, brass and plastic tubing.



### Hilmor 1891258 Pen Style

SKU: HIL-1891258

Pocket Size Deburring Tool lets you put your silky-smooth signature on even the smallest pieces of tubing.



### Imperial 208-FSP Inner/Outer

SKU: IMP-208FSP

For 3/16" to 1 1/2" Outer Diameter Tubing Reams both inside and outside edges of tube with three hollow ground cutters.



### Imperial 208-FSS Aircraft Grade

SKU: IMP-208FSS

3/16" to 1 1/2" Outer Diameter Reamer for aircraft-grade stainless steel tubing, hard or soft copper, aluminium, brass and steel tubing.



### Hilmor 1839052 Deburring Tool

SKU: HIL-1839052

Deburring Tool works flawlessly on tubing from 1/4" to 1-5/8" OD, Inner / Outer Style.



### Imperial 105FF Pinch-Off Tool

SKU: Imperial 105FF Pinch-Off Tool

Temporarily closes soft copper, aluminium or steel tubing.

## Brazing Tools



### Bradley HT8000 Hand Torch

SKU: BRA-HT8000

- Mapp or Propane Gas
- 30% Faster Brazing Times
- For copper, brass, bronze and aluminium



### Errecom TR1173.01 Stop Heat

SKU: ER-TR1173.01

- Re-usable up to 40 times
- Easy to use
- Safe and non-toxic

## Blower Wheel Puller Kit



### C&D CD3570 Blower Wheel Puller Kit

SKU: CD3570

Complete blower wheel puller kit with 1-1/4" 1-3/8" 1-1/2" and 1-5/8" hubs.

## Small Tube Cutters



### Imperial Small Tube Cutters

The Imperial Compact Tube Cutters are perfect for cutting metal tubing and loved by technicians around the world for durability and quality.

- **IMP-TC1050SP** - 1/8" to 5/8" O.D
- **IMP-TC2050SP** - 3/16" to 7/8" O.D



### Imperial 174FSP Mini "imp" Tube Cutter

**SKU: IMP-174FSP**

Mini "imp" tube cutter. Requires only 1 15/16inch swing radius. 3/8 to 1-1/8 inch O.D. Tubing Cutter.



### Hilmor Small Diameter Tube Cutters

Hilmor's ruggedly durable Small Diameter Tubing Cutters offer precision cuts with minimal burrs.

- **HIL-1885381** - 1/8" to 5/8" O.D.
- **HIL-1885382** - 1/8" to 1" O.D.
- **HIL-1885383** - 1/8" to 1 1/8" O.D.

## Full Sized Tube Cutters



### Imperial Tube Cutter 1/8 to 1-1/8 inch

The Imperial tube cutters are the standard to which all-tube cutters are measured. Ideal for use in all applications for cutting metal tubing.

- **IMP-TC1000SP** - General Cutting Wheels
- **IMP-TC1010P** - Stainless Steel Cutting Wheels



### Hilmor Large Diameter Tube Cutter 1/8 to 1-3/8 inch

Hilmor's Large Diameter Tubing Cutters feature a four-roller tracking system to keep the tube from threading. All the while, a shock-resistant steel wheel cuts through the tube like a knife through butter

- **HIL-1885384** - 1/8" to 1-3/8"
- **HIL-1885385** - 1/8" to 1-3/4"



### Imperial 312FCSP Tube Cutter 1/4 to 1-5/8 inch

**SKU: IMP-312FCSP**

Speciality tube cutter for 1/4" to 1-5/8" (7 mm to 41 mm) O.D. tubing.

## Large Sized Tube Cutters



### Imperial Adjust-O-Matic Tube Cutters

Ratchet feed mechanism speeds up cutting operation. Extra wide rollers with flare cut-off groove stabilize tubing. Aluminium alloy body.

- **IMP-206FBSP** - 3/16" to 1 1/2" O.D. tubing.
- **IMP-406FA** - 2" to 4-1/8" O.D. tubing.

# Flaring



## 45 Degree Flaring Tools

- IMP-93FB
- IMP-195FB
- IMP-1225A



## Bradley RF100 45° Eccentric Flaring Tool SKU: BRA-RF100

Makes light work of flares – optional drill mode.  
1/4", 5/16", 3/8", 1/2", 5/8" & 3/4" O.D.



## Imperial 375FS 45 Degree Large Size Tool SKU: IMP-375FS

Flares larger tube sizes. 1/8", 3/16", 1/4", 5/16",  
3/8", 7/16", 1/2", 5/8" and 3/4" O.D



## Imperial 447F 37 Degree Heavy-Duty Tool SKU: IMP-447F

Evacuate 80x fas



## Hilmor 1838955 Large Basic Flare SKU: HIL-1838955

Extra-long handle offers additional leverage and self-centres for a consistent, quality flare. For sizes 3/4" to 1-1/8" tubes



## Hilmor 1838948 Large Kit SKU: HIL-1838948

When you need a precise, quality flare or swage, the hilmor Large Flare/Swage delivers. For sizes: 3/4", 5/8", 7/8", 1-1/8"



## Hilmor 1937685 Orbital Flare Kit SKU: HIL-1937685

Quality orbital flaring tool with tube cutter suits sizes 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4".



## Imperial 120 Series Flaring Kits

- IMP-120F
- IMP-122FA
- IMP-124FA



## Imperial 275 45 Degree Flaring Tool Kits SKU: IMP-275FS

45 Degree Flaring and Swaging Tool converts quickly and easily. 1/8" – 3/4" OD Tube.



## Imperial 203FA 45 Degree Flaring Tool SKU: IMP-203FA

Flares larger tube sizes. For pipe and tube sizes 5/8", 3/4", 7/8" and 1-1/8" O.D.



## Hilmor 1838952 Orbital Flare 3/16" To 3/4" SKU: HIL-1838952

The Hilmor Orbital Flare was designed to produce quality flares – again and again. For sizes 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4".



## Hilmor 1838956 Basic Flare 1/8" to 3/4" SKU: HIL-1838956

Hilmor Basic Flaring Tools are the no-muss, no-fuss way to flare. For sizes 1/8", 3/16", 1/4", 5/16", 3/8", 1/2", 5/8", 3/4".



## Hilmor 1937684 Basic Kit SKU: HIL-1937684

Basic Flare with 1/8" to 7/16" bar, 1/2" to 3/4" bar, and swaging head attachments for tubing sizes 1/8" to 3/4".

# Swaging Punches



## Imperial 93S Punch Type Swaging Tools Individual Sizes Available See Website

Swaging tools Use for making tubing connections without fittings.



## Imperial 95S Punch Swaging Tool SKU: IMP-95S

Swaging Punch 6-in-1, 3/16", 1/4", 5/16", 3/8", 1/2" & 5/8" O.D.



## Hilmor 1839008 Punch Swage 5 Piece Set SKU: HIL-1839008

Punches are available in a set with 1/4", 5/16", 3/8", 1/2" and 5/8".



## Hilmor 1839009 MS Multi-Swage Punch SKU: HIL-1839009

For use with Soft – copper, steel, aluminium, brass tubes. 1/4" to 5/8"

# Tube Expanders



## Hilmor 1839015 Compact Swage Tool Kit SKU: HIL-1839015

Can swage 1-5/8" tubing to 5/16" without a crack. Includes a deburring tool, designed to remove sharp edges and burrs.



## Hilmor 1964041 Deluxe Compact Swage Kit SKU: HIL-1964041

The new Hilmor Compact Swage Tool is taking swaging to the next level. It has the power to swage 2-1/8" tubing and the control to swage 1/4" tubing without a crack. Includes sizes up to 1 5/8". Additional sizes sold separately.

# Spin Flaring & Swaging Tools



## The ORIGINAL SPIN Flaring & Swaging Tools

The SPIN Flaring and Swaging range is designed for the most common tubing diameters in HVAC, and it's recommended for both soft and hard copper. The high-temperature method preserves the copper's/aluminium's malleability while performing the flare or swage, preventing cracks and leaks. The SPIN range allows you to connect tubes with ease and without the use of extra fittings; sleeves and unions, turning potential waste into actual profit. To top that, you can flare or swage with the SPIN Tools in just 5 seconds!

- Compatible with 1/4" - 3/8" - 1/2" - 5/8" - 3/4" - 7/8" tube sizes
  - Flawless flares/swages in five seconds
  - Universal drill compatibility
  - Reusable tool with long-life design
  - Heat by friction
- 
- **ST-F4000** - SpinTools F4000 Spin Flaring Set
  - **ST-F5000** - SpinTools F5000 Spin Flaring Set
  - **ST-F6000** - SpinTools F6000 Spin Flaring Set
  - **ST-S4000** - SpinTools S4000 Spin Swaging Set
  - **ST-S5000** - SpinTools S5000 Spin Swaging Set
  - **ST-S6000** - SpinTools S6000 Spin Swaging Set

# Rol Air Flaring Tools



## Imperial 400F Rol-Air™ 37 Degree Tool Kit SKU: IMP-400F

The Rol-Air™ 400-F Forms 37° flares to government specifications in steel, stainless steel (including MIL-T-6845), titanium and any other metal tubing. Sizes 3/16" to 5/8".



## Imperial 507FBC Rol-air 37 Degree Flaring Tool SKU: IMP-507FBC

For Flaring and Burnishing kit for OD 3/16, to 5/8 Inch Stainless Steel, Aluminum, Soft Steel, Soft Copper.



## Imperial 537F 37 Degree Rol-Air Flaring Tool SKU: IMP-537F

Large Size 37° Rol-Air™ Flaring Tool Flares and burnishes 3/4", 7/8", 1" and 1-1/4" O.D. Tubing.



## Imperial 402FA 37 Degree ROL-AIR Kit SKU: IMP-402FA

Flaring and Reaming Kit For 3/16" to 5/8" O.D. Tubing.



## Imperial 525FSP 45 Degree Rol-Air Tool SKU: IMP-525FSP

37 Degree Rol-Air Flaring Tool For 3/4", 7/8", 1" and 1 1/4" Outer Diameter Tubing.



## Imperial 500FCSP 45 Degree Rol-Air Flaring SKU: IMP-500FCSP

Used for flaring and burnishing 3/16", 1/4", 5/16", 3/8", 1/2" and 5/8" OD tubing.

# Tube Benders



## Imperial 367-FH Triple Head Tube Bender SKU: IMP-367FH

Triple Head Tube Bender 1/8", 3/16", and 1/4" (3 mm, 4 mm and 6 mm)



## Imperial 368FH Triple Head Tube Bender SKU: IMP-368FH

Triple Head Tube Bender 3/16", 1/4", 5/16", 3/8"



## Imperial 370FHC Triple Head 180 Degree SKU: IMP-370FHC

Tripleheader bender has calibrated marking, 3/16", 1/4", 3/8", 1/2".



## Hilmor Tri-Tube Bender SKU: HIL-1839026

Hilmor 1839026 Tri-Tube Bender 3/16", 1/4", 5/16", 3/8" OD Tubing



## Imperial 470FH Triple Head 180 Degree SKU: IMP-470FH

Triple Head 180° Tube Bender With Roto-Lok™ Indexing Handle. Bends 3/16", 1/4", 5/16" and 3/8" O.D. tubing.



## Hilmor Tri-Tube Bender SKU: HIL-1839027

Hilmor 1839027 Tri-Tube Bender 3/16", 1/4", 3/8", 1/2".

# CrossBow Benders



## Hilmor 1926598 Compact Bender Kit SKU: HIL-1926598

Compact bender kit with reverse bending attachment Bends 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", and 7/8" mandrels.



## Hilmor Crossbow Bender Kit

Compact bender kit with reverse bending attachment Bends 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", and 7/8" mandrels

- **HIL-1839032** - Compact Bender Kit
- **HIL-1926598** - Compact Bender Kit with Reverse Mandrels

# Lever Benders



## Imperial 364FHB Swivel Bender Range

The 364-FHB series has a swivel handle that can be repositioned midway through a bend when both handles begin to meet. This simple feature allows easy fabrication of bends up to 180° with reduced effort, better control and without the crossing of handles, typical of most other lever type benders.

- **IMP-364FHB04** - 1/4" Swivel Handle Lever Bender
- **IMP-364FHB05** - 5/16" Swivel Handle Lever Bender
- **IMP-364FHB06** - 3/8" Swivel Handle Lever Bender
- **IMP-364FHB07** - 7/16" Swivel Handle Tube Bender
- **IMP-364FHB08** - 1/2" Swivel Handle Tube Bender



## Imperial 364FHA Lever Bender Range

Each tool bends one size. Open-side type which slips over tube at any point. Makes smooth, tight radius bends up to 180° with minimum effort.

- **IMP-364FHA03** - 3/16" OD
- **IMP-364FHA04** - 1/4" OD
- **IMP-364FHA05** - 5/16" OD
- **IMP-364FHA06** - 3/8" OD
- **IMP-364FHA08** - 1/2" OD
- **IMP-364FHA10** - 5/8" OD
- **IMP-364FHA12** - 3/4" OD
- **IMP-364FHA06MM** - 6mm OD
- **IMP-364FHA08MM** - 8mm OD
- **IMP-364FHA10MM** - 10mm OD
- **IMP-364FHA12MM** - 12mm OD



## Imperial 664FH Tube Benders

664-FH Heavy-Duty 180° Tube Bender With Roto-Lok™ Indexing Handle offering tighter bends up to 180° in stainless steel and other tough metals.

- **IMP-664FH04** - 1/4" OD
- **IMP-664FH06** - 3/8" OD
- **IMP-664FH08** - 1/4" OD
- **IMP-664FH06MM** - 6mm OD
- **IMP-664FH08MM** - 8mm OD
- **IMP-664FH10MM** - 10mm OD
- **IMP-664FH12MM** - 12mm OD

# Spring Benders



## Imperial 101F Spring Tube Bender Set SKU: IMP-101F

Individual sizes available see website



## Hilmor 1839031 SB Spring Bender 4 Pack SKU: HIL-1839031

To fit 1/4", 3/8", 1/2" and 5/8" tubing.



# Torque Wrenches



## BRADLEY TW8 Metric Torque Wrench Set

SKU: BRA-TW8

Torque Wrench Set for R-410A Air Conditioning and Refrigeration. Jaw sizes: 17, 19, 22, 24, 26, 27, and 29mm.



## BRADLEY TW4 Torque Wrench Pre-Set

SKU: BRA-TW4

The TW4 is a Pre-Set Torque Wrench Set designed specifically for AC/R systems. Jaw sizes 17mm (1/4"), 22mm (3/8"), 26mm (1/2"), and 29mm (3/4")



## Hilmor 1963826 Digital Adjustable Torque Wrench

SKU: HIL-1963826

Digital Adjustable Torque Wrench reduces the risk of refrigerant leaks from over or under-tightening a flare nut on a mini-split. Jaws extend up to 27mm. Up to 135Nm

# Inspection Mirrors



## Hilmor Telescoping Mirror

Evacuate 80x faster than 1/4" I.D. hoses and up to 6x faster than other vacuum rated

- **HIL-M1** - 1 - 1/4" Circular Telescoping Mirror
- **HIL-M2** - 2 - 1/4" Circular Telescoping Mirror
- **HIL-M3** - 2 - 1/8" X 3 - 1/2" Rectangular Telescoping Mirror
- **HIL-M4** - 1" x 2" Oval Telescoping Mirror

# Service Wrenches



## Imperial 124C Ratchet Wrench

SKU: IMP-124C

Combination air conditioning and refrigeration service wrench - 9/16" & 1/2" hex, 1/4" & 3/16" square.



## Imperial 125C Ratchet Wrench

SKU: IMP-125C

Forged steel wrench with four sizes covering almost any application. Ratchet has 1/4" square drive on one end; the other end has 3/16" and 5/16" square openings, plus 9/16" hex opening.



## Imperial 127C Ratchet Wrench

SKU: IMP-127C

The Imperial 127C Ratchet Wrench has 1/4", 3/8", 3/16" and 5/16" square drive ratchets and is specially designed for use on compressors with access valves in hard to reach places



## Imperial 127CO Ratchet Wrench

SKU: IMP-127CO

The IMP-127CO Offset Ratchet Wrench is the same as 127-C except with a unique 25° offset that provides additional convenience in hard to reach places.



## Hilmor Service Wrench

Smart design that save your knuckles and your time. Our Service Wrench makes changing sizes quick and easy

- **HIL-1839042** - SWS Service 1/4 X 3/16 SQ, 3/8 X 5/16 SQ
- **HIL-1839043** - SWOS Off Set 1/4 X 3/16 SQ 3/8 X 5/16 SQ
- **HIL-1839045** - SWLR Service LR 1/2 X 9/16 HEX 3/15 x 1/4 SQ

# Fin Straightening Tools



## Hilmor Fin Straightening Tools

Simple tool for straightening condenser and evaporator fins.

- **HIL-T-100** - Fin Tool Kit includes Size 8, 9, 10, 11, 12 & 14 FPI
- **HIL-T-101** - Fin Tool Kit includes Size 13, 15, 16, 17, 18 & 20 FPI



## Hilmor T-300 Metal Fin Tool Straightening Tool

**SKU: HIL-T-300**

Fin Tool Kit includes sizes 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20 FPI.



## Hilmor Fin Comb Tools

Fin Tool Sets no matter your requirements.

- **HIL-T-400** - 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 20 FPI
- **HIL-T-412** - 12 & 14 FPI
- **HIL-T-417** - 16 & 17 FPI
- **HIL-T-418** - 18 & 20 FPI



## Hilmor 1891255 Fin Straightening Tool

**SKU: HIL-1891255**

With two wheels that offer 12 sizes, the Hilmor Fin Straightening Tool makes it easy to remove

# Inspection Work Lights



## Hilmor HMPWL180 Pocket Light

**SKU: HIL-HMPWL180**

Designed to prevent shadows and hotspots the Portable Work Light offers precise light dispersal for the perfect view.



## Hilmor HMMWL600 Mini Light

**SKU: HIL-HMMWL600**

Small but mighty, our Mini Work Light gives you 600 and 1200 lumens for dark and darker conditions.



## Hilmor HMCWL150 Compact Light

**SKU: HIL-HMCWL150**

Designed to fit in your pocket and stick to metal, you can see whatever you need to with ease when you have this little number.



## Hilmor HMPWL240 Pivoting Light

**SKU: HIL-HMPWL240**

The Hilmor Portable Work Light lets you shine light on the problems at hand without the use of your hands. Because let's face it, your hands are busy.

## Sure Seal Adapters



### **C&D CD2035 1/4F x 1/4M Flare Coupler** SKU: CD2035

1/4" Female flare sure-seal retainer x 1/4" male flare



### **C&D CD2037 1/4F x 3/8M Flare Coupler** SKU: CD2037

1/4" Female flare "Sure-Seal" retaining coupler x 3/8" male flare



### **C&D CD2090 1/4 SAE Sure Seal Coupler** SKU: CD2090

1/4" female flare "sure-seal" retaining coupler x 1/4" male flare, 90 degree configuration.

## Valve Cores and Valve Tools



### **C&D CD3813 Valve Core Tool** SKU: CD3813

Brass valve core tool and container, with three-valve cores, compact knurled design



### **C&D CD3805 Valve Cores w/ Core Wrench** SKU: CD3805/10

Display box includes 10 capsules each including 6 x Valve cores, 1 x Core wrench tool.



### **C&D CD3815 Valve Core Torque Driver** SKU: CD3815

Torque release valve core tool. Take the guesswork out of tightening a valve core.

## Service Kits



### **C&D Valve CD9510SVK Service Kit** SKU: CD9510SVK

See website for full parts list



### **C&D CD9560SVK Refrigeration Service Kit** SKU: CD9560SVK

See website for full parts list



### **C&D CD9530SVK HVAC Appliance Service Kit** SKU: CD9530SVK

See website for full parts list



### **C&D CD9580SVK Deluxe Refrigeration Service Kit** SKU: CD9580SVK

See website for full parts list

## CRT Accessories



### **C&D CD3917 Kit** SKU: CD3917

Kit with CD3915 CRT pick and CD3916 CRT thread chaser.



### **C&D CD3990 Superheat Kit** SKU: CD3990

Superheat internal temperature reading Tool for HVAC, refrigeration. Includes CD3975



### **C&D CD3975 Superheat Thermometer** SKU: CD3975

Thermometer w/ on-off switch, spare battery for use with CRT to measure superheat.



### **C&D CD5577 CRT Replacement Rod and Chuck** SKU: CD5577

Replacement rod and chuck for core removal tools.

# Valve Core Removal Tools



## C&D Valve Core Removal Tools

Removes leaky valve cores using a core remover with no refrigerant loss. A convenient side port allows for the connection of ancillary tools including pressure & vacuum gauges. Significantly improves vacuum times by removing the valve core.

- **CD3956** - 5/16 SAE Ball Valve Core Removal Tool
- **CD3930** - 1/4 SAE Ball Valve Core Removal Tool
- **CD3900** - 1/4 SAE Core Removal Tool w/ Stem



## AccuTools Core Removal Tools

When you need a quality core removal tool look no further than the AccuTools CRT. Highly durable and easy to use, seals accurately every time. Available in 1/4 SAE and 5/16 SAE.

- **AT-S10735** - Ball Valve Core Removal Tool 1/4 SAE
- **AT-S10864** - Ball Valve Core Removal Tool 5/16 SAE



## Hilmor Valve Core Removal Tools

The Hilmor Valve Core Removal Tool has a built-in-rare-earth magnet on the back of the plunger for convenient job site storage. After removing the core for evacuation or change-out, the plunger and valve core can be stored on the side of the unit. The tool comes in both 1/4" and 5/16" sizes.

- **HIL-1947968** - Valve Core Removal Tool 5/16"
- **HIL-1947947** - Valve Core Removal Tool 1/4"

# Core Depressors



## C&D Core Depressors

Maintains refrigerants in gauge lines, enables secure and safe connection to fittings. Prevents refrigerant burns. The back sealing valve ensures minimum refrigerant loss.

- **CD2050** - 3/16" x 1/4 SAE
- **CD2070** - 1/4 SAE x 1/4 SAE
- **CD2080** - 5/16 SAE x 1/4 SAE
- **CD2085** - 5/16 SAE x 5/16



## C&D Mini Core Depressors

Ultra-miniature male/female core depressor for use in tight situations.

- **CD5050** - 1/4 SAE
- **CD5060** - 5/16 SAE



## AccuTools Sharder Depressor

- **AT-S10767** - Shradar Depressor Tool 1/4" x 1/4"
- **AT-S10903** - Shradar Depressor Tool 5/16F x 1/4M

# Brass Adaptors



## American Brass Adaptors

- **CD2038** - Valve Fitting - Adaptor 3/8" SAE Male to 1/4" Female SAE Swivel
- **CD2056** - 1/4 SAE Male to 5/16 SAE Female Adaptor
- **CD2058** - 1/4F to 5/16 Male Adaptor
- **CD4040** - Straight Ball Valve for 1/4 SAE
- **CD4056** - Ball Valve Coupler for 5/16 SAE Male/Female
- **CD2005** - 1/4F SAE x 1/4F SAE Swivel Adaptor

# Couplers



## Imperial Kwik Couplers

Kwik-couplers simplify the operation of charging refrigerant systems.

- **IMP-16C** - Imperial 16C 1/4 Straight Kwik Coupler
- **IMP-17C** - Imperial 17C Kwik Coupler Elbow 1/4"
- **IMP-18C** - Imperial 18C Kwik Coupler Set
- **IMP-26C** - Imperial 26C Kwik Coupler Straight 5/16"
- **IMP-27C** - Imperial 27C 90° Elbow Kwik Coupler 5/16"

# KWIK Tite Ratchets



## Imperial Kwik-Tite Ratchet Wrench Kit

The Kwik-Tite ratchet wrench speeds installation of tube fittings and valves, hex nuts, bolts and fasteners

- Kwik-Tite wrenches are constructed for rugged use
- Faster installation of tube fittings and valves
- Open-jaw design
- Eliminates warping and distorting of fittings
- **IMP-195F5STDM-KIT** 5 Piece Metric Spanner Kit
- **IMP-195-7STDSKIT** 7 Piece Ratchet Wrench Kit

Available in individual sizes - see website.

# Access Fittings



## C&D CD3600 Stepped Access Valve

SKU: CD3600/6

1/4" male flare access body, solder end has 1/8" ID and 3/16", 1/4" and 5/16" OD steps.



## C&D Copper Access Tee Valve

Tee with 1/4" male flare access on 1/4" copper tube, swaged at each end for 1/2, 3/4 or 5/8" OD tube.

- **CD8458/2** - Tee with 1/4" m. flare access on 1/4" copper tube, swaged at each end for 1/4" OD tube
- **CD8438/2** - Tee with 1/4" m. flare access on 1/2" copper tube, swaged at each end for 1/2" OD tube
- **CD8414/2** - Tee with 1/4" m. flare access on 3/8" copper tube, swaged at each end for 3/8" OD tube
- **CD8412/2** - Tee with 1/4" m. flare access on 5/8" copper tube, swaged at each end for 5/8" OD tube

# Self Piercing Saddle



## C&D Self Piercing Saddle

The first and best braze-on, self-piercing copper saddle valve.

- **CD5558/3** - 1/2" Self Piercing Saddle Pk of 4
- **CD5538/6** - 1-1/8" Self Piercing Saddle Pk of 2
- **CD5534/2** - 3/4" Self Piercing Saddle Pk of 2
- **CD5518/2** - 3/8" Self Piercing Saddle Pk of 6
- **CD5514/6** - 5/8" Self Piercing Saddle Pk of 3

# Piercing Valves



## C&D CD4338 3/8 Self-Piercing Line Tap Valve

SKU: CD4338

Self-piercing line tap valve for 1/4", 5/16", and 3/8" tube.



## C&D CD4358 Self Piercing Line Tap Valve

SKU: CD4358

Self-piercing line tap valve for 1/2" and 5/8" tube.



## Imperial Piercing Valve

Fast, easy, secure installation. Provides access to the line at any point for charging, testing or evacuation.

- **IMP-541C** - 541C Fits 3/16", 1/4" and 5/16" O.D. tubing.
- **IMP-542C** - 542C Fits 3/8", 1/2" and 5/8" O.D. tubing.

# Refrigerant Recovery Tools



## Imperial PT109SP Refrigerant Recovery Tool

SKU: IMP-PT109SP

Use to puncture large holes into recovery unit lines for quick and emergency discharge. Fits 3/16" to 7/8" O.D. hard tubing.



## Hilmor RRT100 Refrigerant Recovery Tool

SKU: HIL-RRT100

The hilmor Refrigerant Recovery Tool makes evacuation equipment quick and easy.

# Liquid Refrigerant Chargers



## Imperial 535C Kwik Charge Low Side Charger 1/4" SAE

SKU: IMP-535C

The Kwik Charge® charging unit accepts liquid refrigerant from the cylinder and discharges into the low side of the system. The charging rate is up to eight times faster than vapour charging.



## Hilmor LC500 Liquid Charger 1/4" SAE

SKU: HIL-LC500

Liquid low side charging adapter. Eliminates the need to heat the refrigerant.

# Valve Caps



## C&D CD2250 Cap with Core Remover

SKU: CD2250/6

CD2250 1/4 flare cap, round brass w/ neoprene o-ring seal and core wrench on top.



## C&D CD2265 1/4SAE Cap with Chain

SKU: CD2265/6

1/4 flare cap, round brass w/ neoprene o-ring seal, attached keeper chain.



## C&D CD3830 Multi Tool Locking Cap

SKU: CD3830

Your one tool to remove industry-standard locking caps.



## C&D CD2290 1/4"/>"5'16" Flare Locking Cap

SKU: CD2290/2 / CD2295/2

1/4" flare locking cap. Works with CD3830.0



## C&D CD2215 1/4" Flare Cap w/ Retainer Strap

SKU: CD2215/6

1/4" Flare Black Nylon Cap w/ Retainer Strap

# Magnetic Nut Drivers



**Hilmor 1839054 Quick-Change 3 inch**  
SKU: HIL-1839054

Hilmor's Quick-Change Magnetic Nut Driver is two tools in one, allowing you to switch from 1/4" to 5/16" with ease.



**Hilmor 1839057 1-1/2 inch Shaft Set**  
SKU: HIL-1839057

1-1/2" shaft magnetic nut driver set



**Hilmor 1839075 6 inch Shaft Set**  
SKU: HIL-1839075

6" Shaft magnetic nut driver set of 7 - 3/6", 1/4", 5/6", 11/32", 3/8", 7/16"



**Hilmor 1937911 Fast Connect Set**  
SKU: HIL-1937911

Its quick change mechanism for easy change of standard bits with 1/4" hex shank.



**Hilmor 1839063 HSM716 3" Shaft 7/16"**  
SKU: HIL-1839063

3" Shaft 7/16" Magnetic Nut Driver - 7/16" Drive Size



**Hilmor 1937875 Magnetic Nut Driver Set**  
SKU: HIL-1937875

1/4", 5/16", 3/8" by 6" set



**Hilmor 1839076 18" Shaft 14" inch Driver**  
SKU: HIL-1839076

18" shaft magnetic nut driver 1/4"



**Hilmor 1891260 Quick Change Driver 6 inch**  
SKU: HIL-1891260

Hilmors Quick-Change Magnetic Nut Driver is two tools in one, allowing to switch from 1/4" to 5/16" with ease.



**Hilmor 1839065 3 inch Shaft Set**  
SKU: HIL-1839065

3" Shaft Magnetic Nut Driver Set of 7 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 7/16".



**Hilmor 1839077 18 inch Shaft 5/16 inch**  
SKU: HIL-1839077

18" Shaft 5/16" Magnetic Nut Driver



**Hilmor 1839074 6 inch Shaft 2 Piece Set**  
SKU: HIL-1839074

6" Shaft Magnetic Nut Drivers 1/4" and 5/16". Secure hold a magnetic tip keeps fasteners firmly in place



**Hilmor 1885437 Magnetic Nut 3 Piece Set**  
SKU: HIL-1885437

Secure hold a rare earth magnet helps maintain a secure hold to keep fasteners firmly in place.

# Screw Drivers



**Hilmor 1891351 6 in 1 Stubby Multi-Tool**  
SKU: HIL-1891351

1/4" Hex, 5/16" Hex, Phillips #1, Phillips #2, 3/16" Slotted, 1/4" Slotted.



**Hilmor 1891259 Ratcheting 9 in 1 Tool**  
SKU: HIL-1891259

With 9 different bits, this multi tool will help you get a full rotation on screws without the need for repositioning



**Hilmor Screwdriver Set**

These are sets of tools you can't live without. Choose from the 5-piece or 7-piece set, or purchase individually

- HIL-1891087
- HIL-1891088
- HIL-1891089



**Hilmor 1839053 9 in 1 Multi-Tool**  
SKU: HIL-1839053

Tackle any on-the-job challenge with bits, including a valve core remover



**Hilmor 1937819 9 in 1 Multi-Tool**  
SKU: HIL-1937819

Square #2, 1/2" hex, 5/16" hex, 3/8" hex, Phillips #1, Phillips #2, 3/16" slotted and 1/4" slotted.



**Hilmor 1937912 SBSFC Fast Connect Bit Set**  
SKU: HIL-1937912

Fast Connect Screwdriver Bit Set

# Utility Knives



**Hilmor 1885433 Folding Utility Knife**  
SKU: HIL-1885433

Safety comes standard with the Hilmor Folding Utility Knife.



**Hilmor 1885434 Retractable Utility Knife**  
SKU: HIL-1885434

Retractable utility knife handle



# Tool Bags



## Hilmor 1839078 HT HVAC/R Tote

SKU: HIL-1839078

- 27 exterior and interior pockets
- 18 elastic bands and clips
- Padded Shoulder Strap
- Water Resistant boom
- Heavy duty construction



## Hilmor 1839079 Tool Center Bag

SKU: HIL-1839079

- 24 exterior and interior pockets
- Three zipper pouches
- Two padded side pockets
- Padded Aluminum handle
- Water resistant bottom



## Hilmor 1839081 Zipper Pouch

SKU: HIL-1839081

- Measures 10" x 7"
- Designed to conveniently fit most small sized tools
- External rivet for hanging
- Water Proof Liner



## Hilmor 1839080 Backpack Tool Bag

SKU: HIL-1839080

- 19 Pockets Combined
- 11 Interior Pockets, 8 Exterior Pockets
- Two Padded Side Pockets
- Water Resistant Bottom
- Holds up to 25 Kg.



## Imperial TB52 Tool Bag

SKU: IMP-TB52

- Double Layered ballistic nylon
- Wide single opening
- Padded Handles
- 48" Strap

# Refrigerator Lubricants



## Errecom OL6057.K.P2 Premium PAG Lubricant Oil

PAG lubricants have been developed for Automotive applications, specially with the use of R134a refrigerant gas. Errecom PAG oils are a mixture of polyalkylene glycols and additives specially formulated to achieve a better lubricity, chemical and thermal stability as well as an excellent anti-wear protection of the AC/R system components

- **ER-OL6057.M.P2.MA** Premium PAG Lubricant Oil 500 ml
- **ER-OL6057.K.P2** Premium PAG Lubricant Oil 1 Litre
- **ER-OL6057.P.P2** Premium PAG Lubricant Oil 5 Litre



## Errecom OL6012 Polyol Ester 32 Lubricant Oil

Due to their good miscibility with refrigerants they are the best choice for applications with HFC/FC such as R134a, R404A, R407C.

- **ER-OL6012.K.P2** LR-POE 32 - 1 Litre
- **ER-OL6012.P.P2** LR-POE 32 - 5 Litre



## Errecom OL6011 POE 22 Lubricant Oil

POE oils are also compatible with hydrocarbons such as R290 propane and R1270 propylene. In addition, our additive offer is always evolving; POE Errecom is also the best solution for applications with new generation HFO (hydrogenation of fluorinated olefins) such as R1234yf and R1234ze, which are both low-GWP latest formulation gases.

- **ER-OL6011.K.P2** POE 22 Lubricant Oil 1 Litre
- **ER-OL6011.P.P2** POE 22 Lubricant Oil 5 Litre
- **ER-OL6011.T** POE 22 Lubricant Oil 25 Litre



## Errecom OL6016 Polyol Ester 68 Lubricant Oil

POE are synthetic lubricants with high chemical and thermal stability. Due to their good miscibility with refrigerants they are the best choice for applications with HFC/FC such as R134a, R404A, R407C. POE oils are also compatible with hydrocarbons such as R290 propane and R1270 propylene.

- **ER-OL6016.K.P2** POE 68 Lubricant Oil 1 Litre
- **ER-OL6016.P.P2** POE 68 Lubricant Oil 5 Litre
- **ER-OL6016.T** POE 68 Lubricant Oil 25 Litre



## Errecom OL6021 POE 220 Lubricant Oil

POE are synthetic lubricants with high chemical and thermal stability. Due to their good miscibility with refrigerants they are the best choice for applications with HFC/FC such as R134a, R404A, R407C. POE oils are also compatible with hydrocarbons such as R290 propane and R1270 propylene.

- **ER-OL6021.K.P2** POE 220 Lubricant Oil 1 Litre
- **ER-OL6021.P.P2** POE 220 Lubricant Oil 5 Litre
- **ER-OL6021.T** POE 220 Lubricant Oil 25 Litre



## Errecom OL6062 POE 55 CO2 Lubricant

POE are synthetic lubricants with high chemical and thermal stability. Due to their good miscibility with refrigerants they are the best choice for applications with HFC/FC such as R134a, R404A, R407C. POE oils are also compatible with hydrocarbons such as R290 propane and R1270 propylene.

- **ER-OL6062.P.P2** CO2 Lubricant Oil CO2

# Vacuum Pump Oils



Errecom Vacuum Pump Lubricants are developed on a high viscosity index lubricant formulated from selected paraffinic base oils. These oils are designed with additives that achieve better lubricity, chemical and thermal stability as well as excellent anti-wear protection of the AC/R system components.

Vacuum Pump Lubricants are new conception lubricants: thanks to their chemical-physical characteristics, they have been developed for modern hydraulic systems also operating in severe operating conditions.

- **ER-OL6053.K.P2** Vacuum Pump Oil ISO 32 1 Litre
- **ER-OL6053.P.P2** Vacuum Pump Oil ISO 32 5 Litre
- **ER-OL6054.K.P2** Vacuum Pump Oil ISO 46 1 Litre
- **ER-OL6054.P.P2** Vacuum Pump Oil ISO 46 5 Litre
- **ER-OL1008.K.P2** Vacuum Pump Oil ISO 68 1 Litre
- **ER-OL1008.P.P2** Vacuum Pump Oil ISO 46 5 Litre

# Voltage & Continuity Testers



## Uni-T UT12E AC Voltage Detector

**SKU: UT12E**

Drop proof professional grade voltage detectors

- CAPIV 1000V
- Auto Power Off
- IP 67
- Vibration mode



## Uni-T UT12M AC Voltage Detector

**SKU: UT12M**

Drop proof professional grade voltage detectors.

- CAPIV 1000V
- Auto Power Off
- IP 67
- Solenoid Detection



## Uni-T UT18C Voltage & Continuity Tester - LED Indicators

**SKU: UT18C**

Designed for testing AC/DC Voltage, 3 Phase Voltage, Phase Sequence & Continuity.

- CAT IV 600V
- IP 65
- RCD Test & Auto Range
- Polarity Detection & Built In Light



## Uni-T UT18D Voltage & Continuity Tester - LCD Screen

**SKU: UT18D**

Designed for testing AC/DC Voltage, 3 Phase Voltage, Phase Sequence & Continuity.

- CAT IV 600V
- IP 65
- RCD Test & Auto Range
- Polarity Detection & Built In Light

# Earth Ground Tester



## Uni-T UT275 Clamp Earth Ground Tester

**SKU: UT275**

It can quickly and safely measure the grounding system without disconnecting circuit ground lines or the need of auxiliary electrodes. It can measure resistance from 0.01Ω with a resolution of 0.001Ω.

- Resistance limit alarm
- 28mm Jaw Capacity
- Operating temperature 0°C-50°C, 0%RH-85%RH
- Automatic baseline correction

# Digital Multimeters



## Uni-T UT125C Pocket Size Multimeter

**SKU: UT125C**

Pocket size and reliable multimeter for electronics DIYers working with low currents.

- CAT III 600V
- Diode/Continuity Test
- Resistance/Capacitance Test
- 1M Drop Proof
- Data Hold/Auto Power Off
- NCV



## Uni-T UT33B+ Palm Size Multimeter AC/DC Voltage

**SKU: UT33B+**

Redefines the performance standards for entry level multimeters. New innovative industrial design which can withstand 2 metre falls.

- CAT II 600V
- Test Probe Holder
- Diode Test
- 2M Drop Proof
- Continuity Buzzer
- DC Current



## Uni-T UT39C+ Multimeter AC DC V/A Ohm Temp Hz Multimeter

**SKU: UT39C+**

Function packed AC DC digital manual range multimeter with data hold and overload protection.

- CAT I 1000V / CAT II 600V rating
- Large LCD
- Data Hold
- Continuity Buzzer
- Auto power off
- Diode Test



## Uni-T UT39E+ High Precision Multimeter

**SKU: UT39E+**

Measures AC/DC current and voltage, resistance, capacitance, frequency and test diodes continuity and transistors.

- CAT I 1000V / CAT II 600V rating
- Manual Ranging
- Data hold function
- Sleep Mode
- Transistor Test
- Diode Test



## Uni-T UT136C+ Digital Multimeter

**SKU: UT136C+**

New generation multimeter with 4 times/second sampling rate provides users with more accurate readings.

- CAT II 1000V / CAT III 600V
- Display count of 4000
- Data Hold
- Low battery indication
- Continuity Buzzer
- NCV



## Uni-T UT60BT BlueTooth True RMS Multimeter

**SKU: UT60BT**

Provides True-RMS measurement, 9999-count resolution and non contact voltage detection. Comes with bluetooth connectivity.

- Bluetooth
- Data Hold
- Relative Mode
- Acousto-optic Indication
- Diode/Continuity Test
- NCV

# Digital Multimeters



## Uni-T UT105 Automotive Multimeter

**SKU: UT105**

Automotive multimeter for DC current, AC/DC voltage, resistance, tach and dwell measurements, continuity check and diode test.

- CAT III 600V / CAT II 100V
- Fused 10A Range
- Tach and Dwell
- Input impedance for DCV
- Data hold
- Manual Range



## Uni-T UT107 Automotive Multimeter

**SKU: UT107**

This automotive multimeter effectively helps to diagnose problems with the electronic components of an automobile.

- Solenoid/Relay Testing
- Battery test
- Tach and Dwell
- Temperature Measurement
- Switch Testing
- Voltage Testing



## Uni-T UT139S True RMS Multimeter

**SKU: UT139S**

Its NCV feature can effectively check electrical status through measuring EM field intensity.

- Full range protection (600V)
- True RMS
- Analog Bar
- Auto/Manual ranges selectable
- EBTN Display
- NCV



## Uni-T UT17B-Pro Multimeter

**SKU: UT17B-PRO**

With CAT III 1000V/CAT IV 600V ratings it is equipped with a built-in VFC which can filter interference, resulting in a more accurate voltage reading.

- Auto Range
- Max/Min
- Diode Test
- VFC (Voltage/Frequency Converter)
- Auto power off
- Built in flashlight



## Uni-T UT61D+ 1000V True RMS Digital Multimeter

**SKU: UT61D+**

Reliable true RMS multimeter equipped with audible and visible alarm and display count of 6000.

- USB Communication
- True RMS
- Data hold & Peak Hold
- Max/Min/Relative Mode
- NCV (Audible/Visual Alarm)
- Temperature -40°~ 1000°C



## Uni-T UT181A True RMS Data-logging Multimeter

**SKU: UT181A**

Powerful multimeter with advanced features as trend capture and dual temperature measurement.

- Data logging 20000 sets
- 3.5 inch 64K colour TFT LCD
- IP65
- Data Comparison
- Trend Capture
- Low Pass Filter

# Digital Multimeter



## Uni-T 195 Series Industrial Multimeters

improved troubleshooting capability, resolution and precision enables to find issues related to motor driver, factory equipment maintenance and electrical distribution.

- CAT IV 600V/ CAT III 1000V
- 6000 display count
- LCD display interface
- Measurement sampling rate time/s 3
- True RMS
- AC Voltage frequency response 45 -1kHz
- AC current frequency response 45-1kHz

	UT195E	UT195M	UT195DS
Frequency	60Hz- 10MHz	60Hz- 10MHz	60Hz- 10MHz
Duty Cycle	0.1%-99.9%	-	+(2%+5)
Temperature (°C)	-	=40°C-1000°C	-
Display Interface (LCD)	Single	Single	Dual
Measurement Sampling Rate	3 times/s	3 times/s	5 times/s
Analog Bar Sampling Rate	10 times/s	-	20 times/s
Analog Bar	✓		✓
3-Phase Motor Sequence Test	-	✓	✓
Low Pass Filter	-	-	✓
Peak Hold	-		✓

# Flex Clamp Meters



## Uni-T UT281A Pro True RMS Flex Clamp Meter

**SKU: UT281A**

Designed with Rogowski flex coil it can test up to 3000A AC Current. Comes with 25.4cm flex clamp.

- IP54/2m drop test
- Display count of 3000
- CAT IV 600V rating
- Manual range selection
- 3 times/s refresh rate
- Data hold buzzer



## Uni-T UT281E True RMS Flex Clamp Meter

**SKU: UT281E**

Designed with Rogowski flex coil it can test up to 3000A AC Current. Comes with 25.4cm flex clamp.

- IP54/2m drop test
- Dual LCD display
- CAT IV 600V rating
- Auto range
- 3 times/s refresh rate
- Display count of 6000(3000 in current measurement)

# Clamp Meters



## Uni-T UT202+ Digital Clamp Meter

**SKU: UT202+**

New design offers improved user functionality with AC current and AC/DC voltage along with a full range of functions including temperature measurement.

- CAT III 300V / CAT II 600V rating
- True RMS/Auto Range
- Data hold function
- Temperature measurement (-40°~ 1000°C)
- 28MM Jaw opening
- NCV



## Uni-T UT202BT Smart AC Clamp Meter

**SKU: UT202BT**

Bluetooth smart clamp meter designed with low pass filter mode, and inrush current detection, peak hold and other traditional clamp meter functions.

- Bluetooth
- Zero mode
- CAT III 600V Rating
- Temperature measurement (-40°~ 1000°C)
- 28MM Jaw opening
- NCV



## Uni-T UT204+ AC/DC Clamp Meter

**SKU: UT204+**

CAT II 600V/CAT III 300V rated meters which can be used to measure high-voltage frequency, temperature, AC/DC current.

- Overload protection
- Data Hold
- 6000 Display Count
- Temperature measurement (-40°~ 1000°C)
- Auto Range
- Zero Mode



## Uni-T UT208B True RMS Digital Clamp Meter

**SKU: UT208B**

Offers high precision temperature measurement with 0.1°C resolution and can be equipped with a flexible current probe to extend the AC current measurement range to 3000A.

- 42mm maximum jaw diameter
- AC/DC Readings
- 6000 display count
- 3 time/s measurement sampling rate
- Auto/Manual Range
- Zeroing function



## Uni-T UT213C 400A True RMS Clamp Meter

**SKU: UT213C**

Designed for measure AC and DC voltage, AC and DC current, resistance, capacitance, frequency and temperature, and performing NCV tests.

- CAT III 600V Rating
- Auto Range
- AC/DC Current (A)
- Input impedance for DCV  $\geq 10M\Omega$
- 30mm Jaw Capacity
- Data hold



## Uni-T UT216C 600A True RMS Clamp Meter

**SKU: UT216C**

Double injection design can be used for measuring high-frequency currents (up to 400Hz) in railways and aerospace, server rooms, IT systems.

- CAT III 1000V/CAT IV 600V rating
- Auto Range
- 6000 display count
- NCV (Non-Contact AC Voltage testing)
- 30mm Jaw Capacity
- Data hold



## Uni-T UT256B Fork Meter

**SKU: UT256B**

Heavy-duty Fork Meter for professional residential, commercial and industrial applications. This meter bears no risk from any type of mechanical failure owing to its unique design.

- Zero Mode
- Auto Range
- CAT II 1000V/CAT III 600V.
- AC/DC
- Auto power off
- Data hold



# Clamp Meters



## Uni-T UT210 Series Mini Clamp Meters

Designed to work well in limited space environments. These are essential tools for mechanical and electrical equipment maintenance, home appliance installation and electrician duties.

- CAT III 600V
- Ergonomic and lightweight
- Auto range (excludes the UT210A)
- Auto power off, low battery indication
- Continuity buzzer
- 2000 count display

	UT210A	UT210D	UT210E
AC Current (A)	200A	200A	100A
DC Current (A)	-	200A	100A
AC Voltage (V)	-	600V	600V
DC Voltage (V)	-	600V	600V
Resistance	-	20MΩ	20MΩ
Frequency	-	60kHz	-
Capacitance	-	20mF	20mF
Temperature	-	-40°C-1000°C	-
Jaw Opening	16mm	17mm	17mm
Diode Test	-	3.0V	3.0V




## Uni-T UT219 Professional Clamp Meter

The UT219 series is a 600A True RMS professional Clamp Meter with CAT IV 600V rating. It is industrially designed with IP54 rating and able to withstand 2m drop test for measurement in harsh environments.

- CAT IV 600V/CAT III 1000V
- IP54 Protection
- Drop-proof up to 2m
- True RMS
- Auto/Manual Range
- Large 6000-digit LCD display (DUAL UT219DS)

	UT219E	UT219M	UT219DS
Frequency	60Hz-10MHz	60Hz-10MHz	60Hz-10MHz
Duty Cycle	0.1%-99.9%	0.1%-99.9%	+(2%+5)
Temperature (°C)	-	-40°C-1000°C	-40°C-1000°C
Display Interface (LCD)	Single	Single	Dual
Measurement Sampling Rate	3 times/s	3 times/s	5 times/s
Analog Bar Sampling Rate	10 times/s	-	10 times/s
Analog Bar	31 Segment	-	31 Segment
3 Phase Motor Sequence Test	-	600V	600V
Low Pass Filter	-	-	1kHz, 3db attenuation
AC Current Frequency Response	40Hz-400Hz	40Hz-400Hz	40Hz-400Hz
DC Voltage Frequency Response	40Hz-400Hz	40Hz-400Hz	40Hz-1kHz

# Temperature Meters & Data Loggers



## Uni-T UTA13T Digital Temperature Humidity Meter & Monitor

**SKU: UTA13T**

It can measure  $-10^{\circ}\text{C}$ - $50^{\circ}\text{C}$  temperature in  $0.1^{\circ}\text{C}$  resolution. Users can easily check real time indoor temperature and humidity by mounting it on a wall or placing it on the table.

- Sampling time of 10s
- $^{\circ}\text{C}/^{\circ}\text{F}$  selectable
- Large LCD screen
- Temperature/humidity displayed together
- Clock function (12/24 hour modes)
- Alarm function



## Uni-T UT330A USB Temperature Datalogger

**SKU: UT330A**

It uses a high precision temperature and atmospheric pressure sensor to monitor and record. Stores up to 60000 sets of data which can be transmitted through USB to PC.

- IP67 protection rating
- PC software
- 6000 sets data storage
- Trend capture to BMP/CSV/TXT files
- Temperature range  $-40^{\circ}\text{C}$ - $80^{\circ}\text{C}$
- Temperature offset settings



## Uni-T UT330C USB Temperature, Humidity & Pressure Datalogger

**SKU: UT330C**

It uses a high precision temperature, humidity and atmospheric pressure sensor to monitor and record. Stores up to 60000 sets of data which be transmitted through USB to PC.

- IP67 protection rating
- PC software
- 6000 sets data storage
- Trend capture to BMP/CSV/TXT files
- Alarm threshold
- Temperature/humidity/pressure offset settings



## Uni-T UT333BT Mini Temperature & Humidity Meter

**SKU: UT333BT**

It adopts high-precision temperature humidity sensing module technology to sample, process data and display results on LCD. Bluetooth function for data transfer and analysis on mobile app, iENV which can be downloaded from Google Play or Apple Store.

- IP67 protection rating
- PC software
- 6000 sets data storage
- Trend capture to BMP/CSV/TXT files
- Alarm threshold
- Temperature/humidity/pressure offset settings

# Environmental Testers



## Uni-T UT352 Sound Level Meter

**SKU: UT352**

Measures sound noise level and output results in dB, A or C weighted modes can be selected depending on the application. Can work continuously work up to 20 hours.

- 63 sets data storage
- Max/Min modes
- A (Ear)/C(Machine) weighing modes
- Analog bar graph



## Uni-T UT353BT Sound Level Meter

**SKU: UT353BT**

Features a wide dynamic range from 30dB to 130dB. Can transfer measurement data through Bluetooth to Uni-Ts custom mobile APP (iENV) for further analysis storage and export.

- 1/2 inch condenser microphone
- Adjustable sampling rate
- Overload Indication OL
- Bluetooth App



## Uni-T UT362 Professional Anemometer Wind Speed Meter

**SKU: UT362**

Portable and useful anemometer for measuring Air Velocity (wind speed), wind count and temperature, which can connect to your phone by Bluetooth.

- 2044 sets data storage
- Auto record time setup
- Wearproof fan shift
- Bluetooth App



## Uni-T UT363BT Mini Anemometer

**SKU: UT363BT**

This lightweight bluetooth enabled device is equipped with the latest magnetic sensing technology which can be directly display the air flow speed on the LCD display.

- Wind chill index
- 12 level beaufort scale
- Detects start speed as low as 0.1 m/s
- Bluetooth Smartphone App



## Uni-T UT382 Professional Lux Meter

**SKU: UT382**

This meter measures light intensity and display results in LUX and FC with a high sampling rate of 100/s. Provides up to 200 hours of continuous operation.

- LUX/FC measurement modes
- 2; 20; and 2000CD
- Data logging
- USB interface



## Uni-T UT383BT Mini Lux Meter

**SKU: UT383BT**

This meter measures light intensity and display results in LUX and FC. It can effectively represent light intensity with electrical signals, then process data and display measuring results on LCD.

- LUX/FC measurement modes
- Overload indication OL
- Light source calibration
- Bluetooth Smartphone App



## Uni-T A37 CO2 Meter

**SKU: UT37**

The LCD displays CO2 concentration, temperature, humidity and date/time together. Air quality is indicated with emoticons. When CO2 concentration gets to high, alarm will go off.

- Audible and visual alarm
- NDIR sensor type
- Operating temperature 0°C-50°C, 0%RH-85%RH
- Automatic baseline correction

# Insulation Testers



## Uni-T UT501A 1000V Insulation Resistance Tester

SKU: UT501A

A 1000V Insulation Resistance Meter Ground Tester Megohmmeter Volt Meter with LCD backlight. Measure insulation resistance, AC voltage, low resistance, PI (Polarization Index) and DAR (Dielectric Absorption).

- 100-1000V
- High voltage indication
- 2000 Count LCD Display
- High voltage indication



## Uni-T UT501B 1000V Insulation Resistance Tester DAR PI Functions

SKU: UT501B

Insulation resistance measurement for various kinds of electric equipment such as transformer, electric machines, cables, switches, electrical appliance, an ideal tool for electric maintenance, testing & inspection.

- 250-1000V
- High voltage indication
- 2000 Count LCD Display
- High voltage indication



## Uni-T UT502A Insulation Resistance Tester

SKU: UT502A

Excellent insulation resistance tester, ideal tool for ensuring transformers, generators, high voltage motors, power capacitors, power cables & electrical equipment can operate in a safe and accurate manner.

- 500-2500V
- AC Voltage measurement
- 2000 Count LCD Display
- High voltage indication



## Uni-T UT505B Handheld Insulation Resistance Tester

SKU: UT505B

With typical multimeter functions, they can also measure insulation resistance, PI, DAT and automatically calculate the resistance ratio to determine the insulation status. .

- 99 groups of data storage
- Leakage current display
- 6000 Count LCD Display with analogue bar
- Comparison function



## Uni-T UT526 Multifunction Insulation & RCD Tester

SKU: UT526

Digital multi-function electrical tester integrating the latest analog, digital and processing engineering techniques to test insulation resistance, residual currency devices (RCDs), low resistance continuity.

- Continuity to 2000Ω
- CAT III 300V
- RCD testing at 10mA, 30mA, 100mA & 300mA
- AC voltage measurement to 440V



## Uni-T UT528AU Portable Appliance Tester (PAT)

SKU: UT528AU

The new version of the UT527/UT528 PAT testing machine that conducts test on Class I and Class II appliances, as well as extension leads using a separate test sequence.

- NZ/AU plug lead
- 3 button operation
- Inbuilt auto sequence tests
- Additional setting for extension leads over 30m



## Uni-T UT582+ Digital RCD Tester

SKU: UT592+

Used to detect whether the RCD in the circuit can be triggered normally. It is only suitable for single phase circuits with the supply voltage range of 195V-253V.

- Over load indicator
- Continuity till 2000Ω
- RCD testing at 10mA, 30mA, 100mA & 500mA
- Insulation testing between 30-600V



## Uni-T UT593AU Multifunction RCD Loop Tester

SKU: UT593AU

Digital safety testing instrument which measures RCD, line/loop impedance continuity, insulation resistance, DC and AC voltage, phase sequence, featuring versatile functionality & high accuracy.

- RCD trip trigger current test
- Phase rotation
- 250V-1000V DC insulation resistance test
- Trip current test of RCD trip time X 1/2, X1, X5

## Laser Level



### Uni-T LM570LD-II Laser Level

**SKU: UT-LM570LD-II**

The laser level are equipped with green LD laser, suitable for large or bright workplaces. Its applications include horizontal, vertical, cross-line projection for decoration, building construction, home decoration, renovation, furniture installation, flooring and project layout.

- Orsam LD green laser
- Operation distance 10m
- Laser wavelength 520nm
- Complimentary bucket

## Laser Meters



### Uni-T UTLM50 Laser Distance Meter

**SKU: UT-LM50**

The LM series laser distance meters are portable devices that can easily and accurately measure length, area and volume by pressing one button.

- Measures up to 50m
- Physical Leveller
- Millimeter accuracy
- Laser Type - 630-670nm, <1mW



### Uni-T UTLM100 Laser Distance Meter

**SKU: UT-LM100**

The LM series laser distance meters are portable devices that can easily and accurately measure length, area and volume by pressing one button.

- Measures up to 100m
- Physical and electronics Leveller
- Data Storage (20)
- Laser Type - 630-670nm, <1mW

## Laser Power Meters



### Uni-T UT385 Laser Power Meter

**SKU: UT385**

Used to measure the energy output of laser beams for testing or laser system applications. It uses detection sensor to determine the intensity of a laser beam's energy output.

- Precise laser sensor
- Selectable and customizable
- Sampling rate -0.5 seconds
- Laser type - 630-670nm, <1mW

## Wall Scanners



### Uni-T UT387A Wall Scanner

**SKU: UT387A**

UT387A wall scanner is a great tool designed for the construction and home improvement sector. This scanner can pick up hidden objects behind walls, such as metals, live electrical wires and wood.

- Error calibration alarm
- Auto calibration
- Buzzer Indication
- Studscan & Thickscan, 2 scan modes



### Uni-T UT387D Wall Scanner

**SKU: UT387D**

UT387D wall scanners enable you to detect electric wire, metal objects, and wooden beams accurately.

- Error calibration alarm
- Auto power off
- LED Alarm
- Electromagnetic induction

# Pipeline Blockage Detectors



## Uni-T UT661D Pipeline Blockage Detector

**SKU: UT661D**

The UT661D pipeline blockage detector can quickly locate blockages clogging inside pipelines. They are able to detect pipes from a maximum distance of 50cm, the signal wire can be inserted into pipelines up to 35m.

- IP 67 rated probe
- Maximum detection distance of 50cm
- Battery duration of 10 hours
- Signal wire 35m

# Process Calibrators



## Uni-T UT705 Current Loop Calibrator

**SKU: UT705**

Designed with the high-accuracy DC current and transmitter analogue current outputs. It has DC voltage/current and loop current measurement functions with button settings, selectable steps and ramp outputs to help users work more efficiently and accurately.

- Up to 0.02% output accuracy
- Measures DC voltage and current up to 4-20mA
- Save frequently used settings
- Auto stepping & ramping output for fast linearity detection

# Thickness Gauges



## Uni-T UT343D Coating Thickness Gauge

**SKU: UT343D**

It can measure coating thickness on ferrous and non-ferrous materials. Designed with a unique quick test feature, which allows users to set thickness range.

- Auto rotatable screen
- Unit conversion
- 500 sets of data storage
- PC analysis software



## Uni-T UT345A Ultrasonic Thickness Gauge

**SKU: UT345A**

A intelligent ultrasonic thickness gauge that adopts the latest high-performance and low power consumption microprocessor technology. Based on the principle of ultrasonic measurement, it can measure the thickness and sound velocity of metal and other materials.

- Auto calibration
- 300 groups of data storage
- Sound velocity measurement
- Multiple material selection

# Wire Tracker



## Uni-T UT683KIT Wire Tracker

**SKU: UT683KIT**

An intelligent wire tracker which consists of the transmitter and receiver, this kit is designed with strong anti-interference ability. This kit can automatically identify open, short, polarity, and quickly distinguish cable failure.

- Line function
- Line alignment
- Withstand voltage DC 60V
- Polarity test



## Uni-T UT682 Wire Tracker

**SKU: UT682**

It is able to track ethernet/telephone/power cables without opening their insulation. It can troubleshoot ethernet cables and is a recommended tool for debugging communication cables and audio/video cables.

- Dual measurement cycle mode
- Dual measurement cycle mode
- Fast open/short circuit test
- Headset connection for noisy environments

# Infrared Thermometers



## Uni-T UT300S Non Contact Infrared Thermometer

### SKU: UT300S

Accurate, lightweight infrared thermometer with a deviation of only 2%. Has an adjustable emissivity which makes it possible to compensate for the material being measured.

- C°/F° options
- Optional on/off laser pointer
- Auto data hold
- Temperature range -32°C-400°C
- 12:01 distance to spot ratio
- Response time 500ms



## Uni-T UT302A+ Non Contact Infrared Thermometer

### SKU: UT302A+

Professional colour LDF non-contact infrared laser thermometer with 20:1 D:S ratio, adjustable emissivity and a tripod mount.

- C°/F° options
- Adjustable emissivity
- Auto data hold
- Temperature range -32°C-700°C
- 20:1 distance to spot ratio
- Spectral response of 8um-14um



## Uni-T UT306A Mini IR Thermometer

### SKU: UT306A

Designed to counter environmental interference, ensuring accurate temperature readings under various measurement environments. Suitable for everyday temperature readings.

- 1m drop proof
- <250ms response rate
- Data hold
- Temperature range -35°C-300°C
- 6:01 distance to spot ratio
- Adjustable emissivity



## Uni-T UT309C Professional Dual Laser Infrared Thermometer

### SKU: UT309C

Determine surface temperature through the energy radiated by the target surface. Designed to meet the highest protection rating in Uni-T's product line.

- IP65/3m drop proof
- 250ms Response Rate
- Dual lasers/laser switch
- Temperature range -35°C-650°C
- 12:01 distance to spot ratio
- Adjustable emissivity



## Uni-T UT305S Professional Infrared Thermometer

### SKU: UT305S

Designed with a 50:1 D:S ratio for accurate measurement of long-range temperature points of interest. Also has 99 sets of data storage and USB transmission.

- D:S ratio 50:01
- Auto power off
- Data store (99 sets)
- Temperature range -50°C-2000°C
- Class 2 laser type/laser switch
- Data hold

# Contact Type Thermometer



## Uni-T UT320D Mini Contact Type Thermometer

### SKU: UT320D

Reliable double channel contact type thermometer with a temperature range of -50°C-1300°C. UT320D can be used with any K or J temperature probe.

- K/J thermocouple probe selection
- Auto power off
- Difference measurement T1-T2
- Temperature range -50°C-1300°C
- 4 times/sampling rate
- Data hold

# Thermal Imagers



## Uni-T UTi120M/MS Smartphone Thermal Camera Module

**SKU: UTi120M(Android) /UTi120MS (IOS/Apple)**

Compact, portable and easy to operate professional thermal camera module for smartphones. Can detect temperatures up to 400°C

- IR resolution: 120x90
- Video recording
- 2m drop proof
- Field of view - 50°x38°
- Temperature measurement rate - 20°C-400°C
- Focus free



## Uni-T UTi120T Thermal Imager (-20~400°C)

**SKU: UTi120T**

This pocket sized thermal imager fills the gap between single spot infrared thermometers and more expensive thermal imagers. 120x90 pixel resolution easily finds unseen hot and cold spots.

- IR resolution: 120x90
- Digital zoom up to 8x
- Wifi connectivity
- Field of view - 50°x38°
- Temperature measurement rate - 20°C-400°C
- 3.5" LCD Touchscreen



## Uni-T UTi260B Thermal Imager (-15~550°C)

**SKU: UTi260B**

With an IP65 protection rating, it combines surface temperature measurements with real time thermal images, which are clearly displayed on the screen by the thermal imager.

- IR resolution: 256x192
- Photograph function with SD card
- IP 65 protection rating
- Field of view - 56°x42°
- Temperature measurement rate - 15°C-550°C
- 2.8" LCD Display



## Uni-T UTi730E Enhanced Thermal Camera

**SKU: UTi730E**

Advanced thermal camera with wi-fi capability. Its large 3.5" IPS display screen can clearly display 320x240 thermal resolution 2MP visual camera, or a blended image of both.

- IP resolution: 320x240
- QR code for photo management
- Auto tracking for hot/cold spot
- Field of view - 56°x42°
- Temperature measurement rate - 40°C-400°C
- 3.5" IPS display (640x480)



## Uni-T UTi712S Value Thermal Camera 320x240 Pixels

**SKU: UTi712S**

Cost effective thermal imager with temperature compensation feature allowing more accurate readings under different temperature environments.

- IR resolution: 120x90
- Image Capture
- IP54 protection rating/2m drop proof
- Field of view - 50°x38°
- Temperature measurement rate - 20°C-400°C
- 2.4" TFT LCD display (320x240)



## Uni-T UTi80P Thermal Imager (-10~400°C)

**SKU: UTi80P**

Uni-Trends latest portable infrared thermal imager with high-resolution (80x60). Users can observe the target object clearly at night and measure the temperature. UTi80 cube has multiple palettes for different scenes.

- IR resolution: 80x60
- Digital zoom up to 8x
- Adjustable emissivity
- Field of view - 50°x38°
- Temperature measurement rate - 10°C-400°C
- Palettes- iron, rainbow and grey




# NOT SURE YOU CAN SELL IT? JUST ORDER ONE

Order any regular stocked item, and  
return it in new condition for a full  
credit within 12 months.

No questions asked.  
Now thats confidence.

## WHOLESALE LOGIN PORTAL



Is a item in stock?  
What is my buy price?

Log in today with your branch email and check stock,  
create a quote and more.

[huddleston.com.au/login](https://huddleston.com.au/login)

## Huddleston Australia

Our mission: Connecting Australian businesses with recognised global HVAC/R + electrical manufacturers with great service and support, every day.



# Huddleston

Professional Tools That Work

### Sales

Telephone: +61 (0)8 7077 4600  
E-mail: [info@huddleston.com.au](mailto:info@huddleston.com.au)

### Head Office

Address: 12 Burdon Street  
Dudley Park SA 5008  
Australia